



Medicines Amendment Regulations 2018

Patsy Reddy, Governor-General

Order in Council

At Wellington this 24th day of September 2018

Present:

Her Excellency the Governor-General in Council

These regulations are made under section 105(1)(j) of the Medicines Act 1981—

- (a) on the advice and with the consent of the Executive Council; and
- (b) on the advice of the Minister of Health tendered after consultation with the organisations or bodies appearing to the Minister to be representative of persons likely to be substantially affected.

Contents

| | Page |
|----------------------------|----------|
| 1 Title | 1 |
| 2 Commencement | 2 |
| 3 Principal regulations | 2 |
| 4 Schedule 1 replaced | 2 |
| 5 Regulations revoked | 2 |
| Schedule | 2 |
| Schedule 1 replaced | |

Regulations

- 1 Title**
These regulations are the Medicines Amendment Regulations 2018.

2 Commencement

These regulations come into force on the 28th day after the date of their notification in the *Gazette*.

3 Principal regulations

These regulations amend the Medicines Regulations 1984 (the **principal regulations**).

4 Schedule 1 replaced

Replace Schedule 1 with the Schedule 1 set out in the Schedule of these regulations.

5 Regulations revoked

The Medicines Amendment Regulations (No 2) 2015 (LI 2015/180) are revoked.

Schedule Schedule 1 replaced

r 4

Schedule 1 Prescription, restricted, and pharmacy-only medicines

r 3

Every reference to a medicine in this schedule applies whether the medicine is synthetic in origin or is from biological or mineral sources.

Unless specific reference is made otherwise, every reference applies also to medicines that are—

- preparations and admixtures containing any proportion of any substance listed in this schedule:
- salts and esters of any substance listed in this schedule:
- preparations or extracts of biological materials listed in this schedule:
- salts or oxides of elements listed in this schedule.

Unless specific reference is made otherwise, every reference to a medicine in this schedule applies,—

- if the medicine is an injection or eye preparation, to any concentration of that medicine; and
- if the medicine is not an injection or eye preparation, only if the concentration of the medicine is greater than 10 milligrams per litre or per kilogram.

Where any reference is modified by a statement of the strength of the medicine, the strength is calculated using the free acid, base, alcohol, or element unless specifically stated otherwise.

Part 1

Prescription medicines

Amending or replacing this Part may affect designated prescriber regulations under section 105(1)(q) of the Act.

- 1 19-norandrostedione
- 2 2,4-dinitrochlorobenzene
- 3 4-aminopyridine
- 4 4-chloromethandienone
- 5 4-chlorotestosterone
- 6 5-aminolevulinic acid
- 7 Abacavir
- 8 Abatacept
- 9 Abciximab
- 10 Abiraterone
- 11 Abrus precatorius; at all strengths
- 12 Acamprosate
- 13 Acarbose
- 14 Acebutolol
- 15 Acepromazine
- 16 Acetanilides
- 17 Acetarsol
- 18 Acetazolamide
- 19 Acetohexamide
- 20 Acetylcarbromal
- 21 Acetylcholine; except in medicines containing 1 milligram or less per litre or per kilogram
- 22 Acetylcysteine; for injection or inhalation
- 23 Acetyldigitoxin
- 24 Acetylmethyldimethyloximidophenylhydrazine
- 25 Acetylstrophanthidin
- 26 Aciclovir; except when specified elsewhere in this schedule
- 27 Acipimox

| | |
|----|--|
| 28 | Acitretin |
| 29 | Acridinium bromide |
| 30 | Acokanthera ouabaio |
| 31 | Acokanthera schimperi |
| 32 | Aconitum spp; except when specified elsewhere in this schedule |
| 33 | Acrivastine |
| 34 | Adalimumab |
| 35 | Adapalene; except in medicines containing 1 milligram or less per millilitre or gram and when supplied by a pharmacist in a pack containing not more than 30 grams for the treatment of comedo, popular, and pustular acne (acne vulgaris) of the face, chest, or back |
| 36 | Adefovir |
| 37 | Adenosine; for injection |
| 38 | Adinazolam |
| 39 | Adiphenine |
| 40 | Adonis vernalis |
| 41 | Adrafinil |
| 42 | Adrenal extract; except for dermal use in medicines containing 0.02% or less of ketosteroids |
| 43 | Adrenaline; in medicines containing more than 1% |
| 44 | Adrenocortical hormones; except adrenal extract for dermal use containing 0.02% or less of ketosteroids |
| 45 | Afamelanotide |
| 46 | Afatinib |
| 47 | Aflibercept |
| 48 | Agalsidase |
| 49 | Agomelatine |
| 50 | Alatrofloxacin |
| 51 | Albendazole |
| 52 | Albumin; except human albumin |
| 53 | Alclofenac |
| 54 | Alclometasone; except when specified elsewhere in this schedule |
| 55 | Alcohol; for injection in medicines containing more than 20% |
| 56 | Alcuronium |
| 57 | Aldesleukin |

| | |
|----|---|
| 58 | Aldosterone; except in medicines containing 10 micrograms or less per litre or per kilogram |
| 59 | Alectinib |
| 60 | Alefacept |
| 61 | Alemtuzumab |
| 62 | Alendronic acid |
| 63 | Alfacalcidol |
| 64 | Alfentanil |
| 65 | Alfuzosin |
| 66 | Alglucerase |
| 67 | Alglucosidase |
| 68 | Alirocumab |
| 69 | Aliskiren |
| 70 | Alkyl sulfonals |
| 71 | Allergens |
| 72 | Allopurinol |
| 73 | Allylisopropylacetylurea; at all strengths |
| 74 | Allyloestrenol |
| 75 | Alogliptin |
| 76 | Aloracetam |
| 77 | Alosetron |
| 78 | Alpha ₁ -proteinase inhibitor |
| 79 | Alphadolone |
| 80 | Alphaxalone |
| 81 | Alprazolam |
| 82 | Alprenolol |
| 83 | Alprostadil |
| 84 | Alseroxylon |
| 85 | Alteplase |
| 86 | Altretamine |
| 87 | Amantadine |
| 88 | Amбенonium |
| 89 | Ambrisentan |
| 90 | Ambucetamide |
| 91 | Ambutonium |

| | |
|-----|---|
| 92 | Amcinonide |
| 93 | Amethocaine; except when specified elsewhere in this schedule; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board |
| 94 | Amfebutamone |
| 95 | Amfepramone |
| 96 | Amidopyrine |
| 97 | Amifampridine |
| 98 | Amifostine |
| 99 | Amikacin |
| 100 | Amiloride |
| 101 | Aminocaproic acid |
| 102 | Aminoglutethimide |
| 103 | Aminometradine |
| 104 | Aminophenazone; at all strengths |
| 105 | Aminophylline; except when specified elsewhere in this schedule |
| 106 | Aminopterin |
| 107 | Aminorex |
| 108 | Aminosalicyclic acid |
| 109 | Amiodarone |
| 110 | Amiphenazole |
| 111 | Amisometradine |
| 112 | Amisulpride |
| 113 | Amitriptyline |
| 114 | Amlodipine |
| 115 | Ammi visnaga |
| 116 | Ammonium bromide |
| 117 | Amobarbital |
| 118 | Amodiaquine |
| 119 | Amorolfine; except when specified elsewhere in this schedule; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board |
| 120 | Amoxapine |
| 121 | Amoxicillin |
| 122 | Amphomycin |

| | |
|-----|---|
| 123 | Amphotericin |
| 124 | Ampicillin |
| 125 | Amprenavir |
| 126 | Amrinone |
| 127 | Amsacrine |
| 128 | Amygdalin; at all strengths |
| 129 | Amyl nitrite; except when sold to a person who is appropriately authorised under the Health and Safety at Work Act 2015 |
| 130 | Amylocaine |
| 131 | Anabolic steroids |
| 132 | Anagrelide |
| 133 | Anakinra |
| 134 | Anastrozole |
| 135 | Ancestim |
| 136 | Anchusa officinalis; at all strengths |
| 137 | Ancrod and its immunoglobulin antidote |
| 138 | Androgenic and anabolic steroidal agents |
| 139 | Androgens |
| 140 | Androisoxazole |
| 141 | Androstanolone |
| 142 | Androstenediol |
| 143 | Androstenedione |
| 144 | Anecortave |
| 145 | Angiotensinamide |
| 146 | Anidulafungin |
| 147 | Aniracetam |
| 148 | Anistreplase |
| 149 | Antazoline; except for ophthalmic use |
| 150 | Antibiotic substances; except when specified elsewhere in this schedule |
| 151 | Antigens |
| 152 | Antihistamines; except when specified elsewhere in this schedule |
| 153 | Antimony; except in medicines containing 1 milligram or less per litre or per kilogram |
| 154 | Antisera; for injection |
| 155 | AOD-9604 |

| | |
|-----|--|
| 156 | Apalutamide |
| 157 | Apixaban |
| 158 | Apocynum spp |
| 159 | Apomorphine; except in medicines containing 1 milligram or less per litre or per kilogram |
| 160 | Apraclonidine |
| 161 | Apremilast |
| 162 | Aprepitant |
| 163 | Apronal |
| 164 | Aprotinin |
| 165 | Arecoline |
| 166 | Aripiprazole |
| 167 | Aristolochia spp; at all strengths |
| 168 | Aristolochic acid; at all strengths |
| 169 | Armodafinil |
| 170 | Arsenic; except in medicines containing 1 milligram or less per litre or per kilogram |
| 171 | Artemether |
| 172 | Artesunate |
| 173 | Articaine; except when used as a local anaesthetic in practice by a dental therapist or oral health therapist registered with the Dental Council |
| 174 | Asenapine |
| 175 | Asfotase alfa |
| 176 | Asparaginase |
| 177 | Aspirin; except when specified elsewhere in this schedule; for injection; when combined with caffeine, paracetamol, or salicylamide |
| 178 | Astemizole |
| 179 | Asunaprevir |
| 180 | Atamestane |
| 181 | Atazanavir |
| 182 | Atenolol |
| 183 | Atezolizumab |
| 184 | Atomoxetine |
| 185 | Atorvastatin |
| 186 | Atosiban |

| | |
|-----|--|
| 187 | Atovaquone |
| 188 | Atracurium |
| 189 | Atropa belladonna; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram |
| 190 | Atropine; except when specified elsewhere in this schedule; except when used as an antidote in a device designed for self-injection; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 191 | Atropine methonitrate |
| 192 | Auranofin |
| 193 | Aurothiomalate sodium |
| 194 | Avanafil |
| 195 | Aviptadil |
| 196 | Axitinib |
| 197 | Azacitidine |
| 198 | Azacyclonol |
| 199 | Azapropazone |
| 200 | Azaribine |
| 201 | Azatadine; except when specified elsewhere in this schedule |
| 202 | Azathioprine |
| 203 | Azelaic acid; except when specified elsewhere in this schedule |
| 204 | Azelastine; except when specified elsewhere in this schedule |
| 205 | Azithromycin |
| 206 | Azlocillin |
| 207 | Aztreonam |
| 208 | Bacampicillin |
| 209 | Bacitracin |
| 210 | Baclofen |
| 211 | Balsalazide |
| 212 | Bambuterol |
| 213 | Bamethan |
| 214 | Bamipine |
| 215 | Barbital |
| 216 | Barbiturates |
| 217 | Basiliximab |

| | |
|-----|---|
| 218 | Bazedoxifene |
| 219 | Becaplermin |
| 220 | Beclamide |
| 221 | Beclomethasone; except when specified elsewhere in this schedule |
| 222 | Bedaquiline |
| 223 | Belatacept |
| 224 | Belimumab |
| 225 | Bemegride |
| 226 | Benactyzine |
| 227 | Benazepril |
| 228 | Bendamustine |
| 229 | Bendrofluazide |
| 230 | Benethamine penicillin |
| 231 | Benorylate |
| 232 | Benoxaprofen |
| 233 | Benperidol |
| 234 | Benserazide |
| 235 | Benzathine penicillin |
| 236 | Benzatropine |
| 237 | Benzbromarone |
| 238 | Benzhexol |
| 239 | Benzilonium |
| 240 | Benzocaine; except when specified elsewhere in this schedule |
| 241 | Benzodiazepine derivatives; except when specified elsewhere in this schedule |
| 242 | Benzodiazepines; except when specified elsewhere in this schedule |
| 243 | Benzoyl metronidazole |
| 244 | Benzoyl peroxide; except when specified elsewhere in this schedule |
| 245 | Benzthiazide |
| 246 | Benzydamine; except when specified elsewhere in this schedule |
| 247 | Benzympenicillin |
| 248 | Bepriidil |
| 249 | Beractant |
| 250 | Besifloxacin |
| 251 | Beta carotene; in medicines containing more than 18 milligrams per recommended daily dose |

| | |
|-----|--|
| 252 | Betahistine |
| 253 | Betaine; for the treatment of homocystinuria |
| 254 | Betamethasone |
| 255 | Betaxolol |
| 256 | Bethanechol |
| 257 | Bethanidine |
| 258 | Bevacizumab |
| 259 | Bevantolol |
| 260 | Bexarotene |
| 261 | Bezafibrate |
| 262 | Bezlotoxumab |
| 263 | Bicalutamide |
| 264 | Bictegravir |
| 265 | Bifonazole; except when specified elsewhere in this schedule |
| 266 | Bilastine; except when specified elsewhere in this schedule |
| 267 | Bimatoprost |
| 268 | Binimetinib |
| 269 | Biperiden |
| 270 | Bismuth; except for external use in medicines containing 3% or less |
| 271 | Bisoprolol |
| 272 | Bithionol; at all strengths |
| 273 | Bivalirudin |
| 274 | Bleomycin |
| 275 | Boceprevir |
| 276 | Bolandiol |
| 277 | Bolasterone |
| 278 | Bolazine |
| 279 | Boldenone |
| 280 | Bolenol |
| 281 | Bolmantalate |
| 282 | Boron, including borax and boric acid; except in medicines for internal use containing 6 milligrams or less per recommended daily dose; except in medicines for dermal use other than paediatric use containing 0.35% or less; except when present as an excipient |
| 283 | Bortezomib |

| | |
|-----|--|
| 284 | Bosentan |
| 285 | Bosutinib |
| 286 | Botulinum toxins |
| 287 | Brentuximab vedotin |
| 288 | Bretylum |
| 289 | Brexiprazole |
| 290 | Brimonidine |
| 291 | Brinzolamide |
| 292 | Brivaracetam (and its stereoisomers) |
| 293 | Bromazepam |
| 294 | Bromocriptine |
| 295 | Bromoform |
| 296 | Brompheniramine; except when specified elsewhere in this schedule |
| 297 | Bromvaletone |
| 298 | Brotizolam |
| 299 | Brugmansia spp |
| 300 | Buclicine; except for oral use |
| 301 | Budesonide; except when specified elsewhere in this schedule |
| 302 | Bufexamac; except in suppositories; except for dermal use in medicines containing 5% or less |
| 303 | Bumetanide |
| 304 | Buniodyl sodium; at all strengths |
| 305 | Buphenine |
| 306 | Bupivacaine |
| 307 | Buprenorphine |
| 308 | Bupropion |
| 309 | Buserelin |
| 310 | Buspirone |
| 311 | Busulphan |
| 312 | Butacaine |
| 313 | Butobarbital |
| 314 | Butoconazole; except for vaginal use |
| 315 | Butorphanol |
| 316 | Butyl aminobenzoate; except in medicines for dermal use containing 2% or less |

| | |
|-----|--|
| 317 | Butyl nitrite |
| 318 | Butylchloral hydrate |
| 319 | Cabazitaxel |
| 320 | Cabergoline |
| 321 | Cabozantinib |
| 322 | Cacalia spp; at all strengths |
| 323 | Cadmium |
| 324 | Calcipotriol; except in medicines containing not more than 50 micrograms per gram or per millilitre and when sold in a pack of not more than 30 grams or 30 millilitres by a pharmacist to an adult with mild to moderate psoriasis previously diagnosed by a doctor |
| 325 | Calcitonin |
| 326 | Calcitriol |
| 327 | Calcium carbimide |
| 328 | Calcium polystyrene sulphonate |
| 329 | Calotropis gigantea |
| 330 | Calotropis procera |
| 331 | Calusterone |
| 332 | Camazepam |
| 333 | Camphorated oil |
| 334 | Camphotamide |
| 335 | Canagliflozin |
| 336 | Canakinumab |
| 337 | Candesartan |
| 338 | Candicidin |
| 339 | Cannabidiol |
| 340 | Capecitabine |
| 341 | Capreomycin |
| 342 | Captodiame |
| 343 | Captopril |
| 344 | Capuride |
| 345 | Caramiphen |
| 346 | Carbachol |
| 347 | Carbamazepine |
| 348 | Carbaryl; except for external use in medicines containing 2% or less |

| | |
|-----|--|
| 349 | Carbazochrome |
| 350 | Carbenicillin |
| 351 | Carbenoxolone; except for external use |
| 352 | Carbetocin |
| 353 | Carbidopa |
| 354 | Carbimazole |
| 355 | Carbocromen |
| 356 | Carboplatin |
| 357 | Carboprost |
| 358 | Carbromal |
| 359 | Carbutamide |
| 360 | Carbuterol |
| 361 | Carfilzomib |
| 362 | Carglumic acid |
| 363 | Carindacillin |
| 364 | Carisoprodol |
| 365 | Carmustine |
| 366 | Carprofen |
| 367 | Carvedilol |
| 368 | Caspofungin |
| 369 | Catumaxomab |
| 370 | Cebaracetam (and its stereoisomers) |
| 371 | Cefacetile |
| 372 | Cefaclor |
| 373 | Cefaloridine |
| 374 | Cefamandole |
| 375 | Cefapirin |
| 376 | Cefazolin |
| 377 | Cefepime |
| 378 | Cefetamet |
| 379 | Cefixime |
| 380 | Cefodizime |
| 381 | Cefonicid |
| 382 | Cefoperazone |
| 383 | Cefotaxime |

| | |
|-----|---|
| 384 | Cefotetan |
| 385 | Cefotiam |
| 386 | Cefoxitin |
| 387 | Cefpirome |
| 388 | Cefpodoxime |
| 389 | Cefsulodin |
| 390 | Ceftaroline fosamil |
| 391 | Ceftazidime |
| 392 | Ceftibuten |
| 393 | Ceftolozane |
| 394 | Ceftriaxone |
| 395 | Cefuroxime |
| 396 | Celecoxib |
| 397 | Celiprolol |
| 398 | Cephaelis acuminata; except in medicines containing less than 0.2% of emetine |
| 399 | Cephaelis ipecacuanha; except in medicines containing less than 0.2% of emetine |
| 400 | Cephalexin |
| 401 | Cephalothin |
| 402 | Cephradine |
| 403 | Ceritinib |
| 404 | Cerivastatin |
| 405 | Certolizumab pegol |
| 406 | Ceruletide |
| 407 | Cetirizine; except when specified elsewhere in this schedule |
| 408 | Cetrorelix |
| 409 | Cetuximab |
| 410 | Chenodeoxycholic acid |
| 411 | Chloral hydrate; except for dermal use in medicines containing 2% or less |
| 412 | Chloralformamide |
| 413 | Chloralose |
| 414 | Chlorambucil |
| 415 | Chloramphenicol; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except when specified elsewhere in this schedule |

| | |
|-----|---|
| 416 | Chlorandrostenolone |
| 417 | Chlorazanil |
| 418 | Chlorcyclizine |
| 419 | Chlordiazepoxide |
| 420 | Chlormerodrin |
| 421 | Chlormethiazole |
| 422 | Chlormezanone |
| 423 | Chloroform; for anaesthesia; except when specified elsewhere in this schedule |
| 424 | Chloroquine |
| 425 | Chlorothiazide |
| 426 | Chlorotrianisene |
| 427 | Chloroxydienone |
| 428 | Chloroxymesterone |
| 429 | Chlorpheniramine; except when specified elsewhere in this schedule |
| 430 | Chlorphentermine |
| 431 | Chlorpromazine |
| 432 | Chlorpropamide |
| 433 | Chlorprothixene |
| 434 | Chlorquinaldol |
| 435 | Chlortetracycline |
| 436 | Chlorthalidone |
| 437 | Chlorzoxazone |
| 438 | Cholera vaccine; except in the form of an oral liquid containing vibrio cholerae when sold in a pharmacy by a registered pharmacist |
| 439 | Cholic acid |
| 440 | Choline salicylate; except in medicines containing 10% or less and in pack sizes of 15 grams or less |
| 441 | Chorionic gonadotrophin; except in pregnancy test kits |
| 442 | Chymopapain |
| 443 | Ciclacillin |
| 444 | Ciclesonide |
| 445 | Ciclopirox; except when specified elsewhere in this schedule |
| 446 | Cidofovir |
| 447 | Cilastatin |
| 448 | Cilazapril |

| | |
|-----|---|
| 449 | Cilostazol |
| 450 | Cimetidine; except when specified elsewhere in this schedule |
| 451 | Cinacalcet |
| 452 | Cinchocaine; for injection; for ophthalmic use; for external use in medicines containing more than 0.5% |
| 453 | Cinchophen |
| 454 | Cinnarizine |
| 455 | Cinoxacin |
| 456 | Ciprofloxacin |
| 457 | Cisapride |
| 458 | Cisatracurium |
| 459 | Cisplatin |
| 460 | Citalopram |
| 461 | CJC-1295 |
| 462 | Cladribine |
| 463 | Clarithromycin |
| 464 | Clavulanic acid |
| 465 | Clemastine; except for oral use |
| 466 | Clemizole |
| 467 | Clenbuterol |
| 468 | Clevidipine |
| 469 | Clidinium |
| 470 | Clindamycin |
| 471 | Clioquinol; at all strengths |
| 472 | Clobazam |
| 473 | Clobetasol |
| 474 | Clobetasone; except when specified elsewhere in this schedule |
| 475 | Clocortolone |
| 476 | Clodronic acid |
| 477 | Clofarabine |
| 478 | Clofazimine |
| 479 | Clofenamide |
| 480 | Clofibrate |
| 481 | Clomiphene |
| 482 | Clomipramine |

| | |
|-----|--|
| 483 | Clomocycline |
| 484 | Clonazepam |
| 485 | Clonidine |
| 486 | Clopamide |
| 487 | Clopidogrel |
| 488 | Clorazepic acid |
| 489 | Clorexolone |
| 490 | Clorprenaline |
| 491 | Clostebol |
| 492 | Clotiazepam |
| 493 | Clotrimazole; except when specified elsewhere in this schedule |
| 494 | Cloxacillin |
| 495 | Cloxazolam |
| 496 | Clozapine |
| 497 | Cobalt |
| 498 | Cobicistat |
| 499 | Cobimetinib |
| 500 | Cocaine; except when specified elsewhere in this schedule |
| 501 | Codeine; except when specified elsewhere in this schedule |
| 502 | Co-dergocrine |
| 503 | Colaspase |
| 504 | Colchicine |
| 505 | Colchicum |
| 506 | Colecalciferol; except in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations |
| 507 | Colestipol |
| 508 | Colestyramine |
| 509 | Colfosceril |
| 510 | Colistin |
| 511 | Collagen; in injections or implants for tissue augmentation or cosmetic use |
| 512 | Collagenase clostridium histolyticum |
| 513 | Coluracetam |
| 514 | Conium maculatum; at all strengths |
| 515 | Convallaria keiski |
| 516 | Convallaria majalis |

| | |
|-----|---|
| 517 | Corifollitropin alfa |
| 518 | Coronilla spp |
| 519 | Corticosterone |
| 520 | Corticotrophin |
| 521 | Cortisone and other steroidal hormones of the adrenal cortex; except when specified elsewhere in this schedule; except adrenal extract for dermal use in medicines containing 0.02% or less of ketosteroids |
| 522 | Cotarnine; at all strengths |
| 523 | Co-trimoxazole |
| 524 | Coumarin |
| 525 | Crizotinib |
| 526 | Crofelemer |
| 527 | Crotalaria spp; at all strengths |
| 528 | Croton tiglium; except in medicines containing 1 milligram or less per litre or per kilogram |
| 529 | Crystal violet |
| 530 | Curare |
| 531 | Cyclandelate |
| 532 | Cyclizine; except when specified elsewhere in this schedule |
| 533 | Cyclobenzaprine |
| 534 | Cyclofenil |
| 535 | Cycloheximide |
| 536 | Cyclopenthiazide |
| 537 | Cyclopentolate; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board |
| 538 | Cyclophosphamide |
| 539 | Cyclopropane |
| 540 | Cycloserine |
| 541 | Cyclosporin |
| 542 | Cyclothiazide |
| 543 | Cycrimine |
| 544 | Cymarin |
| 545 | Cynoglossum spp; at all strengths |
| 546 | Cyproheptadine; except for oral use |
| 547 | Cyproterone |

| | |
|-----|--|
| 548 | Cysteamine |
| 549 | Cytarabine |
| 550 | Dabigatran |
| 551 | Dabrafenib mesilate |
| 552 | Dacarbazine |
| 553 | Daclatasvir |
| 554 | Daclizumab |
| 555 | Dactinomycin |
| 556 | Dalfopristin |
| 557 | Dalteparin |
| 558 | Danaparoid |
| 559 | Danazol |
| 560 | Danthron |
| 561 | Dantrolene |
| 562 | Dapagliflozin |
| 563 | Dapoxetine |
| 564 | Dapsone |
| 565 | Daptomycin |
| 566 | Daratumumab |
| 567 | Darbepoetin |
| 568 | Darifenacin |
| 569 | Darunavir |
| 570 | Dasabuvir |
| 571 | Dasatinib |
| 572 | Datura spp; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning |
| 573 | Daunorubicin |
| 574 | Deanol |
| 575 | Debrisoquine |
| 576 | Decamethonium |
| 577 | Deferasirox |
| 578 | Deferiprone |
| 579 | Defibrotide |
| 580 | Deflazacort |
| 581 | Degarelix |

| | |
|-----|--|
| 582 | Dehydrochloromethyltestosterone |
| 583 | Dehydrocorticosterone |
| 584 | Delavirdine |
| 585 | Delorazepam |
| 586 | Demecarium |
| 587 | Demeclocycline |
| 588 | Denosumab |
| 589 | Deoxycortone |
| 590 | Deoxycholic acid; for injection; except for oral use |
| 591 | Deoxyribonuclease; except for external use |
| 592 | Dermatophagoides farina allergen extract |
| 593 | Dermatophagoides pteronyssinus allergen extract |
| 594 | Desferrioxamine |
| 595 | Desflurane |
| 596 | Desipramine |
| 597 | Desirudin |
| 598 | Deslanoside |
| 599 | Desloratadine; except for oral use |
| 600 | Deslorelin |
| 601 | Desmopressin |
| 602 | Desogestrel; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme |
| 603 | Desonide |
| 604 | Desoximetasone |
| 605 | Desvenlafaxine |
| 606 | Dexamethasone |
| 607 | Dexamfetamine |
| 608 | Dexchlorpheniramine; except when specified elsewhere in this schedule |
| 609 | Dexfenfluramine |
| 610 | Dexmedetomidine |
| 611 | Dextromethorphan; except when specified elsewhere in this schedule |

| | |
|-----|--|
| 612 | Dextromoramide |
| 613 | Dextropropoxyphene |
| 614 | Dextrorphan |
| 615 | Di-iodohydroxy quinoline; except when specified elsewhere in this schedule |
| 616 | Di-isopropylamine dichloroacetate |
| 617 | Diazepam |
| 618 | Diazoxide |
| 619 | Dibenzepin |
| 620 | Dibotermin |
| 621 | Dibrompropamidine; except for ophthalmic use |
| 622 | Dichloralphenazone |
| 623 | Dichlorophen |
| 624 | Dichlorphenamide |
| 625 | Diclofenac; in preparations for the treatment of solar keratosis; except when specified elsewhere in this schedule; except in preparations for topical use other than for the treatment of solar keratosis |
| 626 | Dicloxacillin |
| 627 | Dicyclomine |
| 628 | Didanosine |
| 629 | Dienoestrol |
| 630 | Dienogest |
| 631 | Diethazine |
| 632 | Diethylcarbamazine |
| 633 | Diethylstilbestrol |
| 634 | Diflorasone |
| 635 | Diflucortolone |
| 636 | Diflunisal |
| 637 | Digitalis lanata |
| 638 | Digitalis purpurea |
| 639 | Digitoxin |
| 640 | Digoxin |
| 641 | Digoxin-specific antibody fragment |
| 642 | Dihydralazine |
| 643 | Dihydrocodeine |
| 644 | Dihydroergotoxine |

| | |
|-----|---|
| 645 | Dihydrolone |
| 646 | Dihydrotachysterol |
| 647 | Diltiazem |
| 648 | Dimenhydrinate; except when specified elsewhere in this schedule |
| 649 | Dimercaprol |
| 650 | Dimethandrostanolone |
| 651 | Dimethazine |
| 652 | Dimethindene; except for oral use |
| 653 | Dimethothiazine |
| 654 | Dimethoxanate |
| 655 | Dimethyl fumarate |
| 656 | Dimethyl sulphoxide |
| 657 | Dimiracetam (and its stereoisomers) |
| 658 | Dinitrocresols |
| 659 | Dinitronaphthols |
| 660 | Dinitrophenols |
| 661 | Dinitrothymols |
| 662 | Dinoprost |
| 663 | Dinoprostone |
| 664 | Diperodon |
| 665 | Diphemanil; except for dermal use |
| 666 | Diphenhydramine; except when specified elsewhere in this schedule |
| 667 | Diphenidol |
| 668 | Diphenoxylate; except when specified elsewhere in this schedule |
| 669 | Diphenylpyraline |
| 670 | Diphtheria, tetanus and pertussis (acellular, component) vaccine; except when administered in a single dose to a person 18 years of age or over or to a pregnant woman aged 13 years or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health |
| 671 | Diphtheria toxoid |
| 672 | Diphtheria vaccine |
| 673 | Dipivefrin |
| 674 | Dipyridamole |
| 675 | Dirithromycin |

| | |
|-----|---|
| 676 | Disopyramide |
| 677 | Distigmine |
| 678 | Disulfiram |
| 679 | Disulphamide |
| 680 | Ditiocarb |
| 681 | Dobutamine |
| 682 | Docetaxel |
| 683 | Dofetilide |
| 684 | Dolasetron |
| 685 | Doliracetam (and its stereoisomers) |
| 686 | Dolutegravir |
| 687 | Domperidone |
| 688 | Donepezil |
| 689 | Dopamine |
| 690 | Dopexamine |
| 691 | Doripenem |
| 692 | Dornase |
| 693 | Dorzolamide |
| 694 | Dothiepin |
| 695 | Doxantrazole |
| 696 | Doxapram |
| 697 | Doxazosin |
| 698 | Doxepin |
| 699 | Doxorubicin |
| 700 | Doxycycline |
| 701 | Doxylamine; except when specified elsewhere in this schedule |
| 702 | Dronedarone |
| 703 | Droperidol |
| 704 | Drospirenone |
| 705 | Drostanolone |
| 706 | Drotrecogin |
| 707 | Duboisia leichhardtii; except when specified elsewhere in this schedule |
| 708 | Duboisia myoporides; except when specified elsewhere in this schedule |
| 709 | Dulcin; at all strengths |
| 710 | Duloxetine |

| | |
|-----|--|
| 711 | Dupilumab |
| 712 | Dupracetam |
| 713 | Dutasteride |
| 714 | Dydrogesterone |
| 715 | Econazole; except when specified elsewhere in this schedule |
| 716 | Ecothiopate |
| 717 | Ectylurea |
| 718 | Eculizumab |
| 719 | Edetic acid; except in medicines containing 0.25% or less; except in contact lens preparations; except dicobalt edetate for the treatment of cyanide poisoning |
| 720 | Edoxudine |
| 721 | Edrophonium |
| 722 | Efalizumab |
| 723 | Efavirenz |
| 724 | Eflornithine |
| 725 | Elbasvir |
| 726 | Eletriptan |
| 727 | Elosulfase alfa |
| 728 | Elotuzumab |
| 729 | Eltrombopag olamine |
| 730 | Eluxadoline |
| 731 | Elvitegravir |
| 732 | Emepronium |
| 733 | Emetine; except in medicines containing 0.2% or less |
| 734 | Emicizumab |
| 735 | Empagliflozin |
| 736 | Emtricitabine |
| 737 | Enalapril |
| 738 | Encorafenib |
| 739 | Enestebol |
| 740 | Enflurane |
| 741 | Enfuvirtide |
| 742 | Enobosarm |
| 743 | Enoxacin |

| | |
|-----|---|
| 744 | Enoxaparin |
| 745 | Enoximone |
| 746 | Enprostil |
| 747 | Entacapone |
| 748 | Entecavir |
| 749 | Enzalutamide |
| 750 | Ephedrine |
| 751 | Epicillin |
| 752 | Epinastine |
| 753 | Epirubicin |
| 754 | Epitiostanol |
| 755 | Eplerenone |
| 756 | Epoetins |
| 757 | Epoprostenol |
| 758 | Eprosartan |
| 759 | Eptifibatide |
| 760 | Erenumab |
| 761 | Ergocalciferol; except in medicines containing 25 micrograms or less per recommended daily dose |
| 762 | Ergometrine |
| 763 | Ergot |
| 764 | Ergotamine |
| 765 | Ergotoxine |
| 766 | Eribulin |
| 767 | Erlotinib |
| 768 | Ertapenem |
| 769 | Ertugliflozin |
| 770 | Erysimum spp; except in medicines containing 1 milligram or less per litre or per kilogram |
| 771 | Erythromycin |
| 772 | Erythropoietin |
| 773 | Escitalopram |
| 774 | Esmolol |
| 775 | Esomeprazole; except when specified elsewhere in this schedule |
| 776 | Estazolam |

| | |
|-----|--|
| 777 | Estramustine |
| 778 | Estropipate |
| 779 | Etanercept |
| 780 | Ethacrynic acid |
| 781 | Ethambutol |
| 782 | Ethamivan |
| 783 | Ethanolamine; for injection |
| 784 | Ethchlorvynol |
| 785 | Ether; for anaesthesia; except when specified elsewhere in this schedule |
| 786 | Ethinamate |
| 787 | Ethinylestradiol; except when supplied at a strength of 35 micrograms or less in combination with either levonorgestrel or norethisterone for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme |
| 788 | Ethionamide |
| 789 | Ethisterone |
| 790 | Ethoglucid |
| 791 | Ethoheptazine |
| 792 | Ethopropazine |
| 793 | Ethosuximide |
| 794 | Ethotoin |
| 795 | Ethoxzolamide |
| 796 | Ethyl chloride; for inhalation |
| 797 | Ethyl loflazepate |
| 798 | Ethyldienolone |
| 799 | Ethylhexanediol; at all strengths |
| 800 | Ethylloestrenol |
| 801 | Ethynodiol |
| 802 | Etidocaine |
| 803 | Etidronic acid; except in medicines for external use containing 1% or less |
| 804 | Etilefrine |

| | |
|-----|---|
| 805 | Etiracetam |
| 806 | Etodolac |
| 807 | Etofenamate; except for external use |
| 808 | Etomidate |
| 809 | Etonogestrel |
| 810 | Etoposide |
| 811 | Etoricoxib |
| 812 | Etravirine |
| 813 | Etretinate |
| 814 | Everolimus |
| 815 | Evolocumab |
| 816 | Exemestane |
| 817 | Exenatide |
| 818 | Ezetimibe |
| 819 | Factor VIII inhibitor bypassing fraction |
| 820 | Famciclovir; except when specified elsewhere in this schedule |
| 821 | Famotidine; except when specified elsewhere in this schedule |
| 822 | Fampridine |
| 823 | Farfugium japonicum; at all strengths |
| 824 | Fasoracetam (and its stereoisomers) |
| 825 | Febuxostat |
| 826 | Felbamate |
| 827 | Felbinac; except for external use |
| 828 | Felodipine |
| 829 | Felypressin; except when combined with a local anaesthetic and used in practice by a dental therapist or oral health therapist registered with the Dental Council |
| 830 | Fenbufen |
| 831 | Fenclofenac |
| 832 | Fenfluramine |
| 833 | Fenofibrate |
| 834 | Fenoldopam |
| 835 | Fenoprofen |
| 836 | Fenoterol |
| 837 | Fenpipramide |

| | |
|-----|--|
| 838 | Fenpiprane |
| 839 | Fentanyl |
| 840 | Ferric carboxymaltose |
| 841 | Ferric derisomaltose |
| 842 | Fexofenadine; except when specified elsewhere in this schedule |
| 843 | Fibrin |
| 844 | Fibrinolysin; except for external use |
| 845 | Fibroblast growth factor |
| 846 | Fidaxomicin |
| 847 | Filgrastim |
| 848 | Finasteride |
| 849 | Fingolimod |
| 850 | Flecainide |
| 851 | Fleroxacin |
| 852 | Floctafenine |
| 853 | Fluanisone |
| 854 | Flubromazolam |
| 855 | Fluclorolone |
| 856 | Flucloxacillin |
| 857 | Fluconazole; except when specified elsewhere in this schedule |
| 858 | Flucytosine |
| 859 | Fludarabine |
| 860 | Fludiazepam |
| 861 | Fludrocortisone |
| 862 | Flufenamic acid |
| 863 | Flumazenil |
| 864 | Flumethasone |
| 865 | Flumethiazide |
| 866 | Flunarizine |
| 867 | Flunisolide |
| 868 | Flunitrazepam |
| 869 | Fluocinolone |
| 870 | Fluocinonide |
| 871 | Fluocortin |
| 872 | Fluocortolone |

| | |
|-----|---|
| 873 | Fluorescein; for injection |
| 874 | Fluorides; for internal use in medicines containing more than 0.5 milligrams per dose unit except in medicines containing 15 milligrams or less per litre or per kilogram; except in parenteral nutrition replacement preparations; for external use in medicines containing more than 5.5 grams per litre or per kilogram except when supplied to a dental professional registered with the Dental Council |
| 875 | Fluorometholone |
| 876 | Fluorouracil |
| 877 | Fluoxetine |
| 878 | Fluoxymesterone |
| 879 | Flupenthixol |
| 880 | Fluphenazine |
| 881 | Flurandrenolone |
| 882 | Flurazepam |
| 883 | Flurbiprofen; except when specified elsewhere in this schedule |
| 884 | Fluroxene |
| 885 | Fluspirilene |
| 886 | Flutamide |
| 887 | Fluticasone; except when specified elsewhere in this schedule |
| 888 | Fluvastatin |
| 889 | Fluvoxamine |
| 890 | Folic acid; except when specified elsewhere in this schedule |
| 891 | Folinic acid; except when specified elsewhere in this schedule |
| 892 | Follicle-stimulating hormone; except in medicines containing 100 micrograms or less per litre or per kilogram |
| 893 | Follistatin |
| 894 | Follitropin |
| 895 | Follitropin delta |
| 896 | Fomepizole |
| 897 | Fomivirsen |
| 898 | Fondaparinux |
| 899 | Fonturacetam (and its stereoisomers) |
| 900 | Formebolone |
| 901 | Formestane |
| 902 | Formoterol |

| | |
|-----|-----------------------|
| 903 | Fosamprenavir |
| 904 | Fosaprepitant |
| 905 | Foscarnet |
| 906 | Fosfestrol |
| 907 | Fosfomicin |
| 908 | Fosinopril |
| 909 | Fosphenytoin |
| 910 | Fotemustine |
| 911 | Framycetin |
| 912 | Fulvestrant |
| 913 | Furaltadone |
| 914 | Furazabol |
| 915 | Furazolidone |
| 916 | Furosemide |
| 917 | Fusidic acid |
| 918 | Gabapentin |
| 919 | Galantamine |
| 920 | Galanthus spp |
| 921 | Gallamine |
| 922 | Galsulfase |
| 923 | Ganciclovir |
| 924 | Ganirelix |
| 925 | Gatifloxacin |
| 926 | Gefitinib |
| 927 | Gemcitabine |
| 928 | Gemeprost |
| 929 | Gemfibrozil |
| 930 | Gemifloxacin |
| 931 | Gemtuzumab ozogamicin |
| 932 | Gentamicin |
| 933 | Gestodene |
| 934 | Gestonorone |
| 935 | Gestrinone |
| 936 | Ghrelin |
| 937 | Gitalin |

| | |
|-----|--|
| 938 | Glatiramer acetate |
| 939 | Glecaprevir |
| 940 | Glibenclamide |
| 941 | Glibornuride |
| 942 | Gliclazide |
| 943 | Glimepiride |
| 944 | Glipizide |
| 945 | Glisoxepide |
| 946 | Glutathione; for injection |
| 947 | Glyceryl trinitrate; for injection; for transdermal use; except in medicines containing 100 micrograms or less per litre or per kilogram |
| 948 | Glycopyrronium |
| 949 | Glymidine |
| 950 | Golimumab |
| 951 | Gonadorelin |
| 952 | Gonadotrophic hormones; except when specified elsewhere in this schedule |
| 953 | Goserelin |
| 954 | Gramicidin |
| 955 | Granisetron |
| 956 | Grazoprevir |
| 957 | Grepafloxacin |
| 958 | Griseofulvin |
| 959 | Growth hormone releasing hormones |
| 960 | Growth hormone releasing peptide-6 |
| 961 | Growth hormone releasing peptides |
| 962 | Guaifenesin; except when specified elsewhere in this schedule |
| 963 | Guanabenz |
| 964 | Guanethidine |
| 965 | Guanfacine |
| 966 | Guanidine |
| 967 | Guselkumab |
| 968 | Hachimycin |
| 969 | Haematin |
| 970 | Haemophilus influenzae vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |

| | |
|------|---|
| 971 | Halazepam |
| 972 | Halcinonide |
| 973 | Halofantrine |
| 974 | Halofenate |
| 975 | Haloperidol; except in medicines containing 1 milligram or less per litre or per kilogram |
| 976 | Halothane |
| 977 | Haloxazolam |
| 978 | Halquinol; except for external use |
| 979 | Heliotropium spp; at all strengths |
| 980 | Hemerocallis |
| 981 | Heparins; except when present as an excipient; except for external use |
| 982 | Hepatitis A vaccine |
| 983 | Hepatitis B vaccine |
| 984 | Hetacillin |
| 985 | Hexachlorophane; in medicines containing more than 3%; except when specified elsewhere in this schedule |
| 986 | Hexamethonium |
| 987 | Hexarelin |
| 988 | Hexetidine; except for external use |
| 989 | Hexobendine |
| 990 | Hexocyclium |
| 991 | Hexoprenaline |
| 992 | Hexaminolevulinate |
| 993 | Histamine; except in medicines containing 0.5% or less |
| 994 | Homatropine |
| 995 | Human chorionic gonadotrophin; except in pregnancy test kits |
| 996 | Human growth hormone secretagogues |
| 997 | Human papillomavirus vaccine |
| 998 | Human protein C |
| 999 | Hyaluronic acid; in injections or implants for tissue augmentation or cosmetic use |
| 1000 | Hydralazine |
| 1001 | Hydrargaphen |
| 1002 | Hydrochlorothiazide |

| | |
|------|--|
| 1003 | Hydrocortisone; except when specified elsewhere in this schedule |
| 1004 | Hydrocyanic acid; except when specified elsewhere in this schedule |
| 1005 | Hydroflumethiazide |
| 1006 | Hydromorphone |
| 1007 | Hydroquinone; except when specified elsewhere in this schedule |
| 1008 | Hydroxychloroquine |
| 1009 | Hydroxyephedrine |
| 1010 | Hydroxyphenamate |
| 1011 | Hydroxyprogesterone |
| 1012 | Hydroxystenozol |
| 1013 | Hydroxyurea |
| 1014 | Hydroxyzine |
| 1015 | Hylan polymer; in injections or implants for tissue augmentation or cosmetic use |
| 1016 | Hyoscine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 1017 | Hyoscine butylbromide; except when specified elsewhere in this schedule |
| 1018 | Hyoscyamine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 1019 | Hyoscyamus niger; except when specified elsewhere in this schedule |
| 1020 | Hypothalamic releasing factors |
| 1021 | Hypromellose; for injection; except in intraocular viscoelastic products |
| 1022 | Ibandronic acid |
| 1023 | Ibogaine |
| 1024 | Ibritumomab tiuxetan |
| 1025 | Ibrutinib |
| 1026 | Ibuprofen |
| 1027 | Ibuprofen; except when specified elsewhere in this schedule |
| 1028 | Ibuterol |
| 1029 | Ibutilide |
| 1030 | Icatibant |
| 1031 | Idarubicin |
| 1032 | Idarucizumab |
| 1033 | Idebenone |
| 1034 | Idelalisib |

| | |
|------|--|
| 1035 | Idoxuridine; except for dermal use in medicines containing 0.5% or less |
| 1036 | Idursulfase |
| 1037 | Ifosfamide |
| 1038 | Iloprost |
| 1039 | Imatinib |
| 1040 | Imiglucerase |
| 1041 | Imipenem |
| 1042 | Imipramine |
| 1043 | Imiquimod |
| 1044 | Immunoglobulins |
| 1045 | Imuracetam |
| 1046 | Indacaterol |
| 1047 | Indapamide |
| 1048 | Indinavir |
| 1049 | Indomethacin; except when specified elsewhere in this schedule |
| 1050 | Indoprofen |
| 1051 | Indoramin |
| 1052 | Infliximab |
| 1053 | Influenza and coryza vaccines; for injection; for nasal use |
| 1054 | Influenza vaccine; except when administered to a person 13 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health |
| 1055 | Ingenol mebutate |
| 1056 | Insulin degludec |
| 1057 | Insulin-like growth factors; except when specified elsewhere in this schedule |
| 1058 | Insulins |
| 1059 | Interferons |
| 1060 | Interleukins |
| 1061 | Iodothiouracil |
| 1062 | Ipamorelin |
| 1063 | Ipecacuanha; except when specified elsewhere in this schedule |
| 1064 | Ipilimumab |
| 1065 | Ipratropium; except for nasal use |
| 1066 | Ipriflavone |

| | |
|------|--|
| 1067 | Iprindole |
| 1068 | Iproniazid |
| 1069 | Irbesartan |
| 1070 | Irinotecan |
| 1071 | Iron; except when specified elsewhere in this schedule |
| 1072 | Isoaminile |
| 1073 | Isoamyl nitrite |
| 1074 | Isobutyl nitrite |
| 1075 | Isocarboxazid |
| 1076 | Isoconazole; except when specified elsewhere in this schedule |
| 1077 | Isoetarine |
| 1078 | Isoflurane |
| 1079 | Isometheptene |
| 1080 | Isoniazid |
| 1081 | Isoprenaline |
| 1082 | Isoprinosine |
| 1083 | Isopropamide; except when specified elsewhere in this schedule |
| 1084 | Isosorbide dinitrate |
| 1085 | Isosorbide mononitrate |
| 1086 | Isotretinoin |
| 1087 | Isoxicam |
| 1088 | Isoxsuprine |
| 1089 | Isradipine |
| 1090 | Itraconazole |
| 1091 | Ivabradine |
| 1092 | Ivacaftor |
| 1093 | Ivermectin |
| 1094 | Ixabepilone |
| 1095 | Ixazomib |
| 1096 | Ixekizumab |
| 1097 | Japanese encephalitis vaccine |
| 1098 | Juniperus sabina; at all strengths |
| 1099 | Kanamycin |
| 1100 | Ketamine |
| 1101 | Ketanserin |

| | |
|------|---|
| 1102 | Ketazolam |
| 1103 | Ketoconazole; except when specified elsewhere in this schedule |
| 1104 | Ketoprofen; except when specified elsewhere in this schedule |
| 1105 | Ketorolac |
| 1106 | Ketotifen; except for ophthalmic use in medicines containing 0.025% or less |
| 1107 | Khellin |
| 1108 | Labetalol |
| 1109 | Lacidipine |
| 1110 | Lacosamide |
| 1111 | Lamivudine |
| 1112 | Lamotrigine |
| 1113 | Lanatosides |
| 1114 | Lanreotide |
| 1115 | Lansoprazole; except when specified elsewhere in this schedule |
| 1116 | Lanthanum |
| 1117 | Lapatinib |
| 1118 | Laronidase-rch |
| 1119 | Laropiprant |
| 1120 | Latamoxef |
| 1121 | Latanoprost |
| 1122 | Laudexium |
| 1123 | Lauromacrogols; for injection |
| 1124 | Lead |
| 1125 | Ledipasvir |
| 1126 | Lefetamine |
| 1127 | Leflunomide |
| 1128 | Lenalidomide |
| 1129 | Lenograstim |
| 1130 | Lenvatinib |
| 1131 | Lepirudin |
| 1132 | Leptazol |
| 1133 | Lercanidipine |
| 1134 | Lesinurad |
| 1135 | Letermovir |
| 1136 | Letrozole |

- 1137 Leucovorin; for injection
- 1138 Leuprorelin
- 1139 Levallorphan
- 1140 Levamisole
- 1141 Levetiracetam
- 1142 Levobunolol
- 1143 Levobupivacaine
- 1144 Levocabastine; except for nasal or ophthalmic use
- 1145 Levocetirizine; except for oral use
- 1146 Levodopa
- 1147 Levomepromazine
- 1148 Levomilnacipran
- 1149 Levonorgestrel; except when specified elsewhere in this schedule; except in medicines for use as emergency post-coital contraception when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1150 Levosimendan
- 1151 Lidoflazine
- 1152 Lidocaine; for injection except when used as a local anaesthetic in practice by a nurse whose scope of practice permits the performance of general nursing functions or by a podiatrist registered with the Podiatrists Board or by a dental therapist or an oral health therapist registered with the Dental Council; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use except in throat lozenges containing 30 milligrams or less per dose form; for external use in medicines containing more than 10%; except in throat sprays in medicines containing 2% or less; except when specified elsewhere in this schedule
- 1153 Ligularia dentata; at all strengths
- 1154 Linagliptin
- 1155 Lincomycin
- 1156 Lindane; except for external use in medicines containing 2% or less

| | |
|------|--|
| 1157 | Linezolid |
| 1158 | Liothyronine |
| 1159 | Lipegfilgrastim |
| 1160 | Liraglutide |
| 1161 | Lisdexamfetamine |
| 1162 | Lisinopril |
| 1163 | Lisuride |
| 1164 | Lithium; except when specified elsewhere in this schedule; except when present as an excipient in dermal medicines containing 0.25% or less |
| 1165 | Lixisenatide |
| 1166 | Lodoxamide; except in medicines for ophthalmic use |
| 1167 | Lofexidine |
| 1168 | Lomefloxacin |
| 1169 | Lomustine |
| 1170 | Loperamide; except when specified elsewhere in this schedule |
| 1171 | Lopinavir |
| 1172 | Loprazolam |
| 1173 | Loracarbef |
| 1174 | Loratadine; except when specified elsewhere in this schedule |
| 1175 | Lorazepam |
| 1176 | Lormetazepam |
| 1177 | Losartan |
| 1178 | Loteprednol |
| 1179 | Lovastatin; except when present as an unmodified, naturally occurring substance in a food that has not been subject to a manufacturing process other than heating, freezing, drying, preserving, bottling, canning, or packaging in retort pouches |
| 1180 | Loxapine |
| 1181 | Lumacaftor |
| 1182 | Lumefantrine |
| 1183 | Lumiracoxib |
| 1184 | Lurasidone |
| 1185 | Luteinising hormone |
| 1186 | Lymecycline |
| 1187 | Macitentan |

| | |
|------|--|
| 1188 | Mafenide |
| 1189 | Mannomustine |
| 1190 | Maprotiline |
| 1191 | Maraviroc |
| 1192 | Mazindol |
| 1193 | Measles vaccine |
| 1194 | Mebanazine |
| 1195 | Mebeverine |
| 1196 | Mebhydrolin |
| 1197 | Mebolazine |
| 1198 | Mebutamate |
| 1199 | Mecamylamine |
| 1200 | Mecasermin |
| 1201 | Mecillinam |
| 1202 | Meclocycline |
| 1203 | Meclofenamate |
| 1204 | Meclofenoxate |
| 1205 | Meclozine; except when specified elsewhere in this schedule |
| 1206 | Medazepam |
| 1207 | Medigoxin |
| 1208 | Medroxyprogesterone |
| 1209 | Medrysone |
| 1210 | Mefenamic acid; except when specified elsewhere in this schedule |
| 1211 | Mefloquine |
| 1212 | Mefruside |
| 1213 | Megestrol |
| 1214 | Melagatran |
| 1215 | Melanocyte stimulating compounds |
| 1216 | Melatonin |
| 1217 | Melengestrol |
| 1218 | Melia azedarach; at all strengths |
| 1219 | Meloxicam |
| 1220 | Melphalan |
| 1221 | Memantine |

| | |
|------|--|
| 1222 | Meningococcal vaccine; except when administered to a person 16 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health |
| 1223 | Menotrophin |
| 1224 | Mepacrine |
| 1225 | Mepenzolate |
| 1226 | Mephenesin |
| 1227 | Mephentermine |
| 1228 | Mepindolol |
| 1229 | Mepitiostane |
| 1230 | Mepivacaine |
| 1231 | Mepolizumab |
| 1232 | Meprobamate |
| 1233 | Meptazinol |
| 1234 | Mepyramine; except when specified elsewhere in this schedule |
| 1235 | Mequitazine |
| 1236 | Mercaptomerin |
| 1237 | Mercaptopurine |
| 1238 | Mercurochrome; except when specified elsewhere in this schedule |
| 1239 | Mercury; except when specified elsewhere in this schedule |
| 1240 | Meropenem |
| 1241 | Mersalyl |
| 1242 | Mesabolone |
| 1243 | Mesalazine |
| 1244 | Mesna |
| 1245 | Mestanolone |
| 1246 | Mesterolone |
| 1247 | Mestranol |
| 1248 | Metamfetamine |
| 1249 | Metandienone |
| 1250 | Metaraminol |
| 1251 | Metenolone |
| 1252 | Metergoline |
| 1253 | Metformin |

| | |
|------|--|
| 1254 | Methacholine |
| 1255 | Methacycline |
| 1256 | Methadone |
| 1257 | Methallenoestril |
| 1258 | Methandriol |
| 1259 | Methanthelinium |
| 1260 | Methazolamide |
| 1261 | Methdilazine; except for oral use |
| 1262 | Methicillin |
| 1263 | Methimazole |
| 1264 | Methisazone |
| 1265 | Methixene |
| 1266 | Methocarbamol |
| 1267 | Methohexitone |
| 1268 | Methoin |
| 1269 | Methotrexate |
| 1270 | Methoxamine; except when specified elsewhere in this schedule |
| 1271 | Methoxsalen |
| 1272 | Methoxyflurane |
| 1273 | Methsuximide |
| 1274 | Methyclothiazide |
| 1275 | Methyl aminolevulinate |
| 1276 | Methyl androstanolone |
| 1277 | Methyl clostebol |
| 1278 | Methyl mercury; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 1279 | Methyl salicylate; except for external use; except for internal use when present as an excipient in medicines containing 1.04% or less per dose form |
| 1280 | Methyl trienolone |
| 1281 | Methyldopa |
| 1282 | Methylene blue; for injection |
| 1283 | Methylergometrine |
| 1284 | Methylhexanamine (1,3-dimethylamylamine (DMAA)); except when present as an unmodified, naturally occurring substance |
| 1285 | Methylnaltrexone |

| | |
|------|---|
| 1286 | Methylpentynol |
| 1287 | Methylphenidate |
| 1288 | Methylphenobarbital |
| 1289 | Methylprednisolone |
| 1290 | Methyltestosterone |
| 1291 | Methylthiouracil |
| 1292 | Methyprylon |
| 1293 | Methysergide |
| 1294 | Metoclopramide; except when specified elsewhere in this schedule |
| 1295 | Metolazone |
| 1296 | Metoprolol |
| 1297 | Metribolone |
| 1298 | Metrifonate |
| 1299 | Metronidazole |
| 1300 | Metyrapone |
| 1301 | Mexiletine |
| 1302 | Mezlocillin |
| 1303 | Mianserin |
| 1304 | Mibefradil |
| 1305 | Mibolerone |
| 1306 | Micafungin |
| 1307 | Miconazole; except when specified elsewhere in this schedule |
| 1308 | Midazolam |
| 1309 | Midodrine |
| 1310 | Mifepristone |
| 1311 | Migalastat |
| 1312 | Miglitol |
| 1313 | Miglustat |
| 1314 | Milnacipran |
| 1315 | Milrinone |
| 1316 | Minocycline |
| 1317 | Minoxidil; except for dermal use in medicines containing 5% or less |
| 1318 | Mirabegron |
| 1319 | Mirtazapine |
| 1320 | Misoprostol |

| | |
|------|--|
| 1321 | Mitobronitol |
| 1322 | Mitomycin |
| 1323 | Mitoxantrone |
| 1324 | Mitragyna speciosa |
| 1325 | Mitragynine |
| 1326 | Mivacurium |
| 1327 | Moclobemide |
| 1328 | Modafinil |
| 1329 | Molgramostim |
| 1330 | Molindone |
| 1331 | Molracetam |
| 1332 | Mometasone; except when specified elsewhere in this schedule |
| 1333 | Monobenzene |
| 1334 | Monoclonal antibodies; except in pregnancy test kits |
| 1335 | Montelukast |
| 1336 | Moperone |
| 1337 | Morazone |
| 1338 | Moricizine |
| 1339 | Morphine; except when specified elsewhere in this schedule |
| 1340 | Motrazepam |
| 1341 | Motretinide |
| 1342 | Moxifloxacin |
| 1343 | Mumps vaccine |
| 1344 | Mupirocin |
| 1345 | Muraglitazar |
| 1346 | Muromonab |
| 1347 | Mustine |
| 1348 | Mycophenolic acid |
| 1349 | Nabilone |
| 1350 | Nabumetone |
| 1351 | Nadolol |
| 1352 | Nadroparin |
| 1353 | Nafarelin |
| 1354 | Naftidrofuryl |
| 1355 | Nalbuphine |

| | |
|------|--|
| 1356 | Nalidixic acid |
| 1357 | Nalmefene |
| 1358 | Nalorphine |
| 1359 | Naloxegol |
| 1360 | Naloxone; except when provided as part of an approved emergency kit for the treatment of opioid overdose |
| 1361 | Naltrexone |
| 1362 | Nandrolone |
| 1363 | Naproxen; except when specified elsewhere in this schedule |
| 1364 | Naratriptan |
| 1365 | Natalizumab |
| 1366 | Natamycin |
| 1367 | Nateglinide |
| 1368 | Nebacumab |
| 1369 | Nebivolol |
| 1370 | Nebracetam (and its stereoisomers) |
| 1371 | Nedocromil |
| 1372 | Nefazodone |
| 1373 | Nefiracetam |
| 1374 | Nefopam |
| 1375 | Nelfinavir |
| 1376 | Neomycin |
| 1377 | Neostigmine |
| 1378 | Nepafenac |
| 1379 | Nepidermin |
| 1380 | Nerium oleander |
| 1381 | Nesiritide |
| 1382 | Netilmicin |
| 1383 | Netupitant |
| 1384 | Nevirapine |
| 1385 | Nialamide |
| 1386 | Nicardipine |
| 1387 | Nicergoline |
| 1388 | Nicofuranose |
| 1389 | Nicoracetam |

| | |
|------|---|
| 1390 | Nicorandil |
| 1391 | Nicotine; except when specified elsewhere in the schedule; except in preparations for oromucosal or transdermal absorption; for nasal use except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner; in medicines other than for smoking cessation |
| 1392 | Nicotinic acid except nicotinamide; except when specified elsewhere in this schedule |
| 1393 | Nicoumalone |
| 1394 | Nifedipine |
| 1395 | Nifenazone |
| 1396 | Nikethamide |
| 1397 | Nilotinib |
| 1398 | Nilutamide |
| 1399 | Nimesulide |
| 1400 | Nimetazepam |
| 1401 | Nimodipine |
| 1402 | Nimorazole |
| 1403 | Nintedanib |
| 1404 | Niridazole |
| 1405 | Nisoldipine |
| 1406 | Nitazoxanide |
| 1407 | Nitisinone |
| 1408 | Nitrazepam |
| 1409 | Nitrendipine |
| 1410 | Nitric oxide |
| 1411 | Nitrofurantoin |
| 1412 | Nitrofurazone |
| 1413 | Nitrous oxide; when supplied for inhalation |
| 1414 | Nitroxoline |
| 1415 | Nivolumab |
| 1416 | Nizatidine; except when specified elsewhere in this schedule |
| 1417 | Nomegestrol |
| 1418 | Nomifensine |
| 1419 | Noopept (and its stereoisomers) |
| 1420 | Noradrenaline |

- 1421 Norandrostenolone
- 1422 Norbolethone
- 1423 Norclostebol
- 1424 Nordazepam
- 1425 Norelgestromin
- 1426 Norethandrolone
- 1427 Norethisterone; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1428 Norfloxacin
- 1429 Norgestrel
- 1430 Noribogaine
- 1431 Normethandrone
- 1432 Nortriptyline
- 1433 Noxiptyline
- 1434 Nusinersen
- 1435 Nux vomica; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
- 1436 Nystatin; except when specified elsewhere in this schedule
- 1437 Obinutuzumab
- 1438 Ocrelizumab
- 1439 Ocriplasmin
- 1440 Octamylamine
- 1441 Octatropine
- 1442 Octreotide
- 1443 Octyl nitrite
- 1444 Oestradiol; except in medicines containing 10 micrograms or less per litre or per kilogram
- 1445 Oestriol
- 1446 Oestrogens
- 1447 Oestrone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1448 Ofatumumab

| | |
|------|--|
| 1449 | Ofloxacin |
| 1450 | Olanzapine |
| 1451 | Olaparib |
| 1452 | Oleandomycin |
| 1453 | Oleandrin |
| 1454 | Olmesartan |
| 1455 | Olodaterol |
| 1456 | Olopatadine |
| 1457 | Olsalazine |
| 1458 | Omalizumab |
| 1459 | Ombitasvir |
| 1460 | Omeprazole; except when specified elsewhere in this schedule |
| 1461 | Ondansetron |
| 1462 | Opipramol |
| 1463 | Opium; except when specified elsewhere in this schedule |
| 1464 | Orciprenaline |
| 1465 | Orlistat; except in medicines for weight control containing 120 milligrams or less per dose form |
| 1466 | Ornidazole |
| 1467 | Ornipressin |
| 1468 | Orphenadrine |
| 1469 | Orthopterin |
| 1470 | Oseltamivir; except when specified elsewhere in this schedule |
| 1471 | Osimertinib |
| 1472 | Otilonium bromide |
| 1473 | Ouabain |
| 1474 | Ovandrotone |
| 1475 | Oxabolone |
| 1476 | Oxacillin |
| 1477 | Oxaliplatin |
| 1478 | Oxandrolone |
| 1479 | Oxaprozin |
| 1480 | Oxazepam |
| 1481 | Oxazolam |
| 1482 | Oxcarbazepine |

- 1483 Oxedrine; except in medicines containing 30 milligrams or less per recommended daily dose
- 1484 Oxetacaine; except for internal use
- 1485 Oxiconazole; except when specified elsewhere in this schedule
- 1486 Oxiracetam (and its stereoisomers)
- 1487 Oxitropium
- 1488 Oxolamine
- 1489 Oxolinic acid
- 1490 Oxpentifylline
- 1491 Oxprenolol
- 1492 Oxybuprocaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 1493 Oxybutynin
- 1494 Oxycodone
- 1495 Oxymesterone
- 1496 Oxymetholone
- 1497 Oxyphenbutazone
- 1498 Oxyphencyclimine
- 1499 Oxyphenisatin; at all strengths
- 1500 Oxyphenonium
- 1501 Oxytetracycline
- 1502 Oxytocin; except in medicines containing 1 microgram or less per litre or per kilogram
- 1503 Paclitaxel
- 1504 Palbociclib
- 1505 Palifermin
- 1506 Paliperidone
- 1507 Palivizumab
- 1508 Palonosetron
- 1509 Pamaquin
- 1510 Pamidronic acid
- 1511 Pancreatic enzymes; except in medicines containing 20 000 BP units or less of lipase activity
- 1512 Pancuronium
- 1513 Panitumumab

| | |
|------|---|
| 1514 | Panobinostat |
| 1515 | Pantoprazole; except when specified elsewhere in this schedule |
| 1516 | Papaveretum |
| 1517 | Papaverine; for injection |
| 1518 | Paracetamol; except when specified elsewhere in this schedule |
| 1519 | Paraldehyde |
| 1520 | Paramethadione |
| 1521 | Paramethasone |
| 1522 | Parecoxib |
| 1523 | Paricalcitol |
| 1524 | Paritabprevir |
| 1525 | Paromomycin |
| 1526 | Paroxetine |
| 1527 | Pasireotide |
| 1528 | Patent blue V; for injection when used in diagnostic procedures |
| 1529 | Patiromer sorbitex calcium |
| 1530 | Pazopanib |
| 1531 | Pecazine |
| 1532 | Pefloxacin |
| 1533 | Pegaptanib |
| 1534 | Pegaspargase |
| 1535 | Pegfilgrastim |
| 1536 | Peginterferon |
| 1537 | Peginterferon beta-1a |
| 1538 | Pegvisomant |
| 1539 | Pembrolizumab |
| 1540 | Pemetrexed |
| 1541 | Pemoline |
| 1542 | Pempidine |
| 1543 | Penbutolol |
| 1544 | Penciclovir; except when specified elsewhere in this schedule |
| 1545 | Penicillamine |
| 1546 | Pentaerythrityl tetranitrate |
| 1547 | Pentagastrin |
| 1548 | Pentamethonium |

| | |
|------|---|
| 1549 | Pentamidine |
| 1550 | Pentazocine |
| 1551 | Penthienate |
| 1552 | Pentolinium |
| 1553 | Pentosan polysulfate sodium |
| 1554 | Pentostatin |
| 1555 | Pentoxifylline |
| 1556 | Peramivir |
| 1557 | Perampanel |
| 1558 | Pergolide |
| 1559 | Perhexiline |
| 1560 | Pericyazine |
| 1561 | Perindopril |
| 1562 | Permethrin; except in medicines containing 5% or less |
| 1563 | Perphenazine |
| 1564 | Pertussis antigen |
| 1565 | Pertussis (whooping cough) vaccine |
| 1566 | Pertuzumab |
| 1567 | Pethidine |
| 1568 | Phenacemide |
| 1569 | Phenacetin; except when present as an excipient |
| 1570 | Phenaglycodol |
| 1571 | Phenazone; except for external use |
| 1572 | Phenazopyridine |
| 1573 | Phenelzine |
| 1574 | Pheneticillin |
| 1575 | Phenformin |
| 1576 | Phenglutarimide |
| 1577 | Phenibut |
| 1578 | Phenindione |
| 1579 | Pheniramine; except when specified elsewhere in this schedule |
| 1580 | Phenisatin |
| 1581 | Phenobarbital |
| 1582 | Phenol; for injection |
| 1583 | Phenolphthalein |

| | |
|------|--|
| 1584 | Phenoperidine |
| 1585 | Phenoxybenzamine |
| 1586 | Phenoxymethylpenicillin |
| 1587 | Phensuximide |
| 1588 | Phentermine |
| 1589 | Phenthimentionium |
| 1590 | Phentolamine |
| 1591 | Phenylbutazone |
| 1592 | Phenylephrine; except when specified elsewhere in this schedule |
| 1593 | Phenylpropanolamine |
| 1594 | Phenyltoloxamine |
| 1595 | Phenytoin |
| 1596 | Phleum pratense extract |
| 1597 | Pholcodine; except when specified elsewhere in this schedule |
| 1598 | Phosphodiesterase type 5 inhibitors; except when present as an unmodified, naturally occurring substance; except when specified elsewhere in this schedule |
| 1599 | Phthalylsulfathiazole |
| 1600 | Physostigmine |
| 1601 | Pibrentasvir |
| 1602 | Picibanil |
| 1603 | Picric acid |
| 1604 | Picrotoxin |
| 1605 | Pilocarpine; except in medicines containing 0.025% or less |
| 1606 | Pimecrolimus |
| 1607 | Pimozide |
| 1608 | Pinacidil |
| 1609 | Pinazepam |
| 1610 | Pindolol |
| 1611 | Pioglitazone |
| 1612 | Pipecuronium |
| 1613 | Pipemidic acid |
| 1614 | Pipenzolate |
| 1615 | Piperacetam |
| 1616 | Piperacillin |

| | |
|------|--|
| 1617 | Piperidine |
| 1618 | Piperidolate |
| 1619 | Pipobroman |
| 1620 | Pipothiazine |
| 1621 | Pipradrol |
| 1622 | Piracetam |
| 1623 | Pirbuterol |
| 1624 | Pirenoxine |
| 1625 | Pirenzepine |
| 1626 | Piretanide |
| 1627 | Pirfenidone |
| 1628 | Piroxicam; except for external use |
| 1629 | Pirprofen |
| 1630 | Pitavastatin |
| 1631 | Pituitary hormones |
| 1632 | Pivampicillin |
| 1633 | Pizotifen |
| 1634 | Plerixafor |
| 1635 | Plicamycin |
| 1636 | Pneumococcal vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |
| 1637 | Podophyllotoxin; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 1%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram |
| 1638 | Podophyllum emodi; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram |
| 1639 | Podophyllum peltatum; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram |
| 1640 | Polidexide |
| 1641 | Poliomyelitis vaccine |
| 1642 | Polyacrylamide; in injections or implants for tissue augmentation or cosmetic use |

| | |
|------|--|
| 1643 | Polyestradiol |
| 1644 | Polylactic acid; in injections or implants for tissue augmentation or cosmetic use |
| 1645 | Polymyxin |
| 1646 | Polysulfated glycosaminoglycans; for injection except in intraocular viscoelastic products |
| 1647 | Polythiazide |
| 1648 | Pomalidomide |
| 1649 | Ponatinib |
| 1650 | Poractant alfa |
| 1651 | Posaconazole |
| 1652 | Potassium bromide |
| 1653 | Potassium perchlorate |
| 1654 | Practolol |
| 1655 | Pradofloxacin |
| 1656 | Pralatrexate |
| 1657 | Pralidoxime |
| 1658 | Pralmorelin |
| 1659 | Pramipexole |
| 1660 | Pramiracetam |
| 1661 | Pramocaine |
| 1662 | Prampine |
| 1663 | Prasterone |
| 1664 | Prasugrel |
| 1665 | Pravastatin |
| 1666 | Prazepam |
| 1667 | Praziquantel |
| 1668 | Prazosin |
| 1669 | Prednisolone |
| 1670 | Prednisone |
| 1671 | Pregabalin |
| 1672 | Pregnenolone |
| 1673 | Prenalterol |
| 1674 | Prenylamine |

- 1675 Prilocaine; for injection except when used as a local anaesthetic in practice by a dental therapist or an oral therapist registered with the Dental Council; except when specified elsewhere in this schedule
- 1676 Primaquine
- 1677 Primidone
- 1678 Probenecid
- 1679 Probucol
- 1680 Procainamide
- 1681 Procaine
- 1682 Procaine penicillin
- 1683 Procarbazine
- 1684 Prochlorperazine; except when specified elsewhere in this schedule; except when sold for the treatment of nausea associated with emergency contraception by pharmacists or nurses accredited to sell levonorgestrel for emergency contraception
- 1685 Procyclidine; except for dermal use in medicines containing 5% or less
- 1686 Progesterone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1687 Progestogens
- 1688 Proglumide
- 1689 Proguanil
- 1690 Prolintane
- 1691 Promazine
- 1692 Promethazine; except when specified elsewhere in this schedule
- 1693 Promoxolane
- 1694 Propafenone
- 1695 Propamidine; except for ophthalmic use
- 1696 Propanidid
- 1697 Propantheline
- 1698 Propetandrol
- 1699 Propionibacterium acnes
- 1700 Propofol
- 1701 Propranolol; except in medicines containing 1 milligram or less per litre or per kilogram
- 1702 Propylthiouracil
- 1703 Propyphenazone

| | |
|------|--|
| 1704 | Proquazone |
| 1705 | Proscillaridin |
| 1706 | Prostaglandins |
| 1707 | Protamine |
| 1708 | Prothionamide |
| 1709 | Prothipendyl |
| 1710 | Protirelin |
| 1711 | Protoberatrines |
| 1712 | Protriptyline |
| 1713 | Proxymetacaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board |
| 1714 | Prucalopride |
| 1715 | Pseudoephedrine |
| 1716 | Pulmonaria spp; at all strengths |
| 1717 | Pyrazinamide |
| 1718 | Pyridinolcarbamate |
| 1719 | Pyridostigmine |
| 1720 | Pyridoxal; except in medicines containing 200 milligrams or less per recommended daily dose |
| 1721 | Pyridoxamine; except in medicines containing 200 milligrams or less per recommended daily dose |
| 1722 | Pyridoxine; except in medicines containing 200 milligrams or less per recommended daily dose |
| 1723 | Pyrimethamine |
| 1724 | Pyrvinium |
| 1725 | Quazepam |
| 1726 | Quetiapine |
| 1727 | Quinagolide |
| 1728 | Quinapril |
| 1729 | Quinbolone |
| 1730 | Quinethazone |
| 1731 | Quinidine |
| 1732 | Quinine; except in medicines containing 50 milligrams or less per recommended daily dose |
| 1733 | Quinisocaine |
| 1734 | Quinupristin |

| | |
|------|--|
| 1735 | Rabeprazole |
| 1736 | Rabies vaccine |
| 1737 | Raloxifene |
| 1738 | Raltegravir |
| 1739 | Raltitrexed |
| 1740 | Ramipril |
| 1741 | Ramucirumab |
| 1742 | Ranibizumab |
| 1743 | Ranitidine; except when specified elsewhere in this schedule |
| 1744 | Ranolazine |
| 1745 | Rapacuronium |
| 1746 | Rasagiline |
| 1747 | Rasburicase |
| 1748 | Rauwolfia serpentina |
| 1749 | Rauwolfia vomitoria |
| 1750 | Razoxane |
| 1751 | Reboxetine |
| 1752 | Recombinant human epidermal growth factor |
| 1753 | Recombinant varicella zoster virus glycoprotein E antigen |
| 1754 | Regorafenib |
| 1755 | Remestemcel-L |
| 1756 | Remifentanil |
| 1757 | Remoxipride |
| 1758 | Repaglinide |
| 1759 | Reserpine |
| 1760 | Reslizumab |
| 1761 | Retapamulin |
| 1762 | Reteplase |
| 1763 | Retigabine |
| 1764 | Ribavirin |
| 1765 | Ribociclib |
| 1766 | Ridaforolimus |
| 1767 | Rifabutin |
| 1768 | Rifampicin |
| 1769 | Rifamycin |

| | |
|------|---|
| 1770 | Rifapentine |
| 1771 | Rifaximin |
| 1772 | Rilmazafone |
| 1773 | Rilpivirine |
| 1774 | Riluzole |
| 1775 | Rimexolone |
| 1776 | Rimiterol |
| 1777 | Rimonabant |
| 1778 | Riociguat |
| 1779 | Risedronic acid |
| 1780 | Risperidone |
| 1781 | Ritodrine |
| 1782 | Ritonavir |
| 1783 | Rituximab |
| 1784 | Rivaroxaban |
| 1785 | Rivastigmine |
| 1786 | Rizatriptan; except when specified elsewhere in this schedule |
| 1787 | Rocuronium |
| 1788 | Rofecoxib |
| 1789 | Roflumilast |
| 1790 | Rolipram (and its stereoisomers) |
| 1791 | Rolitetracycline |
| 1792 | Rolziracetam |
| 1793 | Romidepsin |
| 1794 | Romiplostim |
| 1795 | Ropinirole |
| 1796 | Ropivacaine |
| 1797 | Rosiglitazone |
| 1798 | Rosoxacin |
| 1799 | Rosuvastatin |
| 1800 | Rotavirus vaccine |
| 1801 | Rotigotine |
| 1802 | Roxibolone |
| 1803 | Roxithromycin |
| 1804 | Rubella vaccine |

| | |
|------|---|
| 1805 | Ruboxistaurin |
| 1806 | Rufinamide |
| 1807 | Rupatadine |
| 1808 | Ruxolitinib |
| 1809 | Sabadilla; except in preparations containing 10 milligrams or less of total alkaloids of <i>schoenocaulon officinale</i> per litre or per kilogram |
| 1810 | Sacubitril |
| 1811 | Safrole; for internal use except in medicines containing 0.1% or less |
| 1812 | Salbutamol |
| 1813 | Salcatonin |
| 1814 | Salmeterol |
| 1815 | Sapropterin |
| 1816 | Saquinavir |
| 1817 | Sargramostim |
| 1818 | Sarilumab |
| 1819 | Saxagliptin |
| 1820 | Schoenocaulon officinale; except in preparations containing 10 milligrams or less of total alkaloids of <i>schoenocaulon officinale</i> per litre or per kilogram |
| 1821 | Scopolia carniolica |
| 1822 | Sebelipase alfa |
| 1823 | Secbutabarbital |
| 1824 | Secobarbital |
| 1825 | Secukinumab |
| 1826 | Selective androgen receptor modulators |
| 1827 | Seletracetam (and its stereoisomers) |
| 1828 | Selegiline |
| 1829 | Selenium; except when specified elsewhere in this schedule; except for oral use in medicines containing 150 micrograms or less per recommended daily dose |
| 1830 | Selexipag |
| 1831 | Serelaxin |
| 1832 | Sermorelin |
| 1833 | Sertindole |
| 1834 | Sertraline |
| 1835 | Serum, dried human |
| 1836 | Sevelamer |

- 1837 Sevoflurane
- 1838 Sex hormones and all substances having sex hormone activity
- 1839 Sialoepoetin
- 1840 Sibutramine
- 1841 Silandrone
- 1842 Sildenafil and its structural analogues; except sildenafil in medicines for oral use containing 100 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 12 solid dosage units for the treatment of erectile dysfunction in males aged 35–70 years by a registered pharmacist who has successfully completed a training programme endorsed by the Pharmaceutical Society of New Zealand Incorporated
- 1843 Silicones; for injection
- 1844 Silodosin
- 1845 Siltuximab
- 1846 Silver sulfadiazine; except for external use in packs containing 50 grams or less
- 1847 Simeprevir
- 1848 Simvastatin
- 1849 Sirolimus
- 1850 Sisomicin
- 1851 Sitagliptin
- 1852 Sitaxentan
- 1853 Sodium bromide
- 1854 Sodium cellulose phosphate; for internal use
- 1855 Sodium cromoglycate; except for nasal and ophthalmic use
- 1856 Sodium morrhuate; for injection
- 1857 Sodium nitroprusside
- 1858 Sodium phenylbutyrate
- 1859 Sodium phosphate; in oral laxative preparations
- 1860 Sodium polystyrene sulphonate
- 1861 Sodium tetradecyl sulphate; for injection
- 1862 Sodium zirconium cyclosilicate
- 1863 Sofosbuvir
- 1864 Solasidine
- 1865 Solifenacin
- 1866 Somatostatin
- 1867 Somatropin

| | |
|------|---|
| 1868 | Sonidegib |
| 1869 | Sontoquine |
| 1870 | Sorafenib |
| 1871 | Sotalol |
| 1872 | Sparfloxacin |
| 1873 | Sparteine |
| 1874 | Spectinomycin |
| 1875 | Spiramycin |
| 1876 | Spirapril |
| 1877 | Spiroinolactone |
| 1878 | Stanolone |
| 1879 | Stanozolol |
| 1880 | Staphylococcus aureus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |
| 1881 | Stavudine |
| 1882 | Stenbolone |
| 1883 | Steroid hormones |
| 1884 | Stilboestrol |
| 1885 | Stiripentol |
| 1886 | Stramonium; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning |
| 1887 | Streptococcus beta-haemolyticus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |
| 1888 | Streptodornase |
| 1889 | Streptokinase |
| 1890 | Streptomycin |
| 1891 | Streptozocin |
| 1892 | Strontium ranelate |
| 1893 | Strophanthins |
| 1894 | Strophanthus spp |
| 1895 | Strychnos spp; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine |
| 1896 | Styramate |
| 1897 | Succimer |
| 1898 | Sufentanil |

| | |
|------|---|
| 1899 | Sugammadex |
| 1900 | Sulbactam |
| 1901 | Sulconazole; except for dermal use |
| 1902 | Sulfacetamide; except for ophthalmic use in medicines containing 10% or less |
| 1903 | Sulfadiazine; except silver sulfadiazine for external use in pack sizes of 50 grams or less |
| 1904 | Sulfadimethoxine |
| 1905 | Sulfadimidine |
| 1906 | Sulfadoxine |
| 1907 | Sulfafurazole |
| 1908 | Sulfaguanidine |
| 1909 | Sulfamerazine |
| 1910 | Sulfamethizole |
| 1911 | Sulfamethoxazole |
| 1912 | Sulfamethoxydiazine |
| 1913 | Sulfamethoxypyridazine |
| 1914 | Sulfametrole |
| 1915 | Sulfamonomethoxine |
| 1916 | Sulfamoxole |
| 1917 | Sulfaphenazole |
| 1918 | Sulfapyridine |
| 1919 | Sulfasalazine |
| 1920 | Sulfathiazole |
| 1921 | Sulfatroxazole |
| 1922 | Sulfinpyrazone |
| 1923 | Sulfomyxin |
| 1924 | Sulfonmethane |
| 1925 | Sulindac |
| 1926 | Sultamicillin |
| 1927 | Sulthiame |
| 1928 | Sumatriptan; except when specified elsewhere in this schedule |
| 1929 | Sunifiram |
| 1930 | Sunitinib |
| 1931 | Suprofen |
| 1932 | Suvorexant |

| | |
|------|--|
| 1933 | Sutilains |
| 1934 | Suxamethonium |
| 1935 | Suxethonium |
| 1936 | T cell receptor antibody |
| 1937 | Tacrine |
| 1938 | Tacrolimus |
| 1939 | Tadalafil and its structural analogues |
| 1940 | Tafenoquine succinate |
| 1941 | Tafluprost |
| 1942 | Taliglucerase alfa |
| 1943 | Talimogene laherparepvec |
| 1944 | Tamoxifen |
| 1945 | Tamsulosin |
| 1946 | Tanacetum vulgare; except in medicines containing 0.8% or less of oil of tansy |
| 1947 | Tapentadol |
| 1948 | Tasonermin |
| 1949 | Tazarotene |
| 1950 | Tazobactam |
| 1951 | Teduglutide |
| 1952 | Tegafur |
| 1953 | Tegaserod |
| 1954 | Teicoplanin |
| 1955 | Telaprevir |
| 1956 | Telbivudine |
| 1957 | Telithromycin |
| 1958 | Telmisartan |
| 1959 | Telotristat ethyl |
| 1960 | Temazepam |
| 1961 | Temozolomide |
| 1962 | Temsirolimus |
| 1963 | Tenecteplase |
| 1964 | Teniposide |
| 1965 | Tenofovir |
| 1966 | Tenoxicam |
| 1967 | Terazosin |

| | |
|------|--|
| 1968 | Terbinafine; except when specified elsewhere in this schedule |
| 1969 | Terbutaline |
| 1970 | Terfenadine |
| 1971 | Teriflunomide |
| 1972 | Teriparatide |
| 1973 | Terlipressin |
| 1974 | Terodiline |
| 1975 | Teropterin |
| 1976 | Tesamorelin |
| 1977 | Testolactone |
| 1978 | Testosterone; except in medicines containing 1 milligram or less per litre or per kilogram |
| 1979 | Tetanus antitoxin |
| 1980 | Tetanus toxoid |
| 1981 | Tetanus vaccine |
| 1982 | Tetrabenazine |
| 1983 | Tetracosactrin |
| 1984 | Tetracycline |
| 1985 | Tetraethylammonium |
| 1986 | Tetrahydrocannabinol |
| 1987 | Tetrazepam |
| 1988 | Tetroxoprim |
| 1989 | Thalidomide |
| 1990 | Thenyldiamine |
| 1991 | Theophylline; except when specified elsewhere in this schedule |
| 1992 | Thevetia peruviana |
| 1993 | Thevetin |
| 1994 | Thiambutosine |
| 1995 | Thiazosulfone |
| 1996 | Thiethylperazine |
| 1997 | Thioacetazone |
| 1998 | Thiocarlide |
| 1999 | Thioguanine |
| 2000 | Thiomesterone |
| 2001 | Thiopentone |

| | |
|------|---|
| 2002 | Thiopropazate |
| 2003 | Thiopropazine |
| 2004 | Thioridazine |
| 2005 | Thiotepa |
| 2006 | Thiothixene |
| 2007 | Thiouracil |
| 2008 | Thiourea; except in medicines containing 0.1% or less |
| 2009 | Thymosin beta-4 |
| 2010 | Thymoxamine |
| 2011 | Thyroid |
| 2012 | Thyrotrophin |
| 2013 | Thyrotrophin-releasing factor |
| 2014 | Thyroxine; except in medicines containing 10 micrograms or less per litre or per kilogram |
| 2015 | Tiagabine |
| 2016 | Tianeptine |
| 2017 | Tiaprofenic acid |
| 2018 | Tiaramide |
| 2019 | Tibolone |
| 2020 | Ticagrelor |
| 2021 | Ticarcillin |
| 2022 | Ticlopidine |
| 2023 | Tiemonium |
| 2024 | Tienilic acid |
| 2025 | Tigecycline |
| 2026 | Tigloidine |
| 2027 | Tiletamine |
| 2028 | Tilidine |
| 2029 | Tiludronic acid |
| 2030 | Timbetasin |
| 2031 | Timolol |
| 2032 | Tinidazole |
| 2033 | Tinzaparin |
| 2034 | Tioconazole; except when specified elsewhere in this schedule |
| 2035 | Tiotropium |

| | |
|------|-------------------------------|
| 2036 | Tipepidine |
| 2037 | Tipiracil |
| 2038 | Tiprnavir |
| 2039 | Tirilazad |
| 2040 | Tirofiban |
| 2041 | Tizanidine |
| 2042 | Tobramycin |
| 2043 | Tocainide |
| 2044 | Tocilizumab |
| 2045 | Tofacitinib |
| 2046 | Tolazamide |
| 2047 | Tolazoline |
| 2048 | Tolbutamide |
| 2049 | Tolcapone |
| 2050 | Tolfenamic acid |
| 2051 | Tolmetin |
| 2052 | Tolonium |
| 2053 | Tolpropamine |
| 2054 | Tolrestat |
| 2055 | Tolterodine |
| 2056 | Tolvaptan |
| 2057 | Topiramate |
| 2058 | Topotecan |
| 2059 | Torasemide |
| 2060 | Toremifene |
| 2061 | Toxoids; for injection |
| 2062 | Tramadol |
| 2063 | Trametinib dimethyl sulfoxide |
| 2064 | Trandolapril |
| 2065 | Tranexamic acid |
| 2066 | Tranlycypromine |
| 2067 | Trastuzumab |
| 2068 | Trastuzumab emtansine |
| 2069 | Travoprost |
| 2070 | Trazodone |

| | |
|------|--|
| 2071 | Trenbolone |
| 2072 | Treosulphan |
| 2073 | Treprostinil |
| 2074 | Trestolone |
| 2075 | Tretamine |
| 2076 | Tretinoin |
| 2077 | Triacetyloleandomycin |
| 2078 | Triamcinolone; except when specified elsewhere in this schedule |
| 2079 | Triamterene |
| 2080 | Triaziquone |
| 2081 | Triazolam |
| 2082 | Trichlormethiazide |
| 2083 | Trichloroacetic acid; except for external use in medicines containing 12.5% or less for the treatment of warts other than anogenital warts |
| 2084 | Trichloroethylene |
| 2085 | Trichodesma africana; at all strengths |
| 2086 | Triclofos |
| 2087 | Tricyclamol |
| 2088 | Tridihexethyl |
| 2089 | Trientine |
| 2090 | Trifluoperazine |
| 2091 | Trifluperidol |
| 2092 | Triflupromazine |
| 2093 | Trifluridine |
| 2094 | Trimeprazine; except when specified elsewhere in this schedule |
| 2095 | Trimetaphan |
| 2096 | Trimethoprim; except in medicines for oral use containing 300 milligrams or less per dose unit when sold in a pack of 3 solid dosage units to a woman aged 16–65 years for the treatment of an uncomplicated urinary tract infection by a registered pharmacist who has successfully completed the New Zealand College of Pharmacists' training in the treatment of urinary tract infections |
| 2097 | Trimipramine |
| 2098 | Trimustine |
| 2099 | Trinitrophenol |
| 2100 | Trioxysalen |
| 2101 | Triparanol; at all strengths |

| | |
|------|---|
| 2102 | Triple antigen vaccine |
| 2103 | Triprolidine; except when specified elsewhere in this schedule |
| 2104 | Triptorelin |
| 2105 | Troglitazone |
| 2106 | Trometamol; for injection in medicines containing more than 3% |
| 2107 | Tropicamide; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board |
| 2108 | Tropisetron |
| 2109 | Trovafloxacin |
| 2110 | Troxidone |
| 2111 | Tryptophan; except in medicines containing 100 milligrams or less per recommended daily dose; except in parenteral nutrition replacement preparations |
| 2112 | Tuberculin |
| 2113 | Tuberculosis vaccine |
| 2114 | Tubocurarine |
| 2115 | Tulobuterol |
| 2116 | Typhoid vaccine |
| 2117 | Ulipristal |
| 2118 | Umeclidinium bromide |
| 2119 | Unoprostone |
| 2120 | Uracil |
| 2121 | Urapidil |
| 2122 | Urethane |
| 2123 | Urofollitropin |
| 2124 | Urokinase |
| 2125 | Ursodeoxycholic acid |
| 2126 | Ustekinumab |
| 2127 | Vaccines; except when specified elsewhere in this schedule |
| 2128 | Vaccinia virus vaccine |
| 2129 | Valaciclovir |
| 2130 | Valdecoxib |
| 2131 | Valganciclovir |
| 2132 | Valnoctamide |
| 2133 | Valproic acid |
| 2134 | Valsartan |

| | |
|------|---|
| 2135 | Vancomycin |
| 2136 | Vandetanib |
| 2137 | Vardenafil and its structural analogues |
| 2138 | Varenicline |
| 2139 | Varicella vaccine; except when administered for the prevention of herpes zoster (shingles) to a person 50 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health |
| 2140 | Vasopressin |
| 2141 | Vecuronium |
| 2142 | Vedolizumab |
| 2143 | Velaglucerase alfa |
| 2144 | Velpatasvir |
| 2145 | Vemurafenib |
| 2146 | Venetoclax |
| 2147 | Venlafaxine |
| 2148 | Verapamil |
| 2149 | Veratrum spp |
| 2150 | Vernakalant |
| 2151 | Verteporfin |
| 2152 | Veruprevir |
| 2153 | Vidarabine |
| 2154 | Vigabatrin |
| 2155 | Vilanterol |
| 2156 | Vildagliptin |
| 2157 | Viloxazine |
| 2158 | Vinblastine |
| 2159 | Vincamine |
| 2160 | Vincristine |
| 2161 | Vindesine |
| 2162 | Vinflunine |
| 2163 | Vinorelbine |
| 2164 | Vinyl ether |
| 2165 | Virginiamycin |

- 2166 Vismodegib
- 2167 Visnadine
- 2168 Vitamin A; except for internal use in medicines containing 3 milligrams or less of retinol equivalents per recommended daily dose; except in parenteral nutrition replacement preparations; except for external use in medicines containing 1% or less
- 2169 Vitamin D; except for external use; except for internal use in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
- 2170 Vorapaxar
- 2171 Voriconazole
- 2172 Vorinostat
- 2173 Vortioxetine
- 2174 Warfarin
- 2175 Xamoterol
- 2176 Xanthinol nicotinate
- 2177 Ximelagatran
- 2178 Xipamide
- 2179 Yellow fever vaccine
- 2180 Yohimbine
- 2181 Zafirlukast
- 2182 Zalcitabine
- 2183 Zaleplon
- 2184 Zanamivir
- 2185 Zidovudine
- 2186 Zimeldine
- 2187 Zinc; except for internal use in medicines containing 25 milligrams or less per recommended daily dose; except for internal use in medicines containing 50 milligrams or less and more than 25 milligrams per recommended daily dose in packs that have received the consent of the Minister or the Director-General to their distribution as general sale medicines, when sold in the manufacturer's original pack and when labelled with a statement that the product may be dangerous if taken in large amounts or for long periods; except for external use when in medicines containing 5% or less; except in parenteral nutrition replacement preparations
- 2188 Ziprasidone
- 2189 Zoledronic acid
- 2190 Zolmitriptan; except when specified elsewhere in this schedule

- 2191 Zolpidem
- 2192 Zonisamide
- 2193 Zopiclone
- 2194 Zoster immunoglobulin, human
- 2195 Zoxazolamine
- 2196 Zuclopenthixol

Part 2

Restricted medicines

- 1 Adrenaline; in medicines containing 1% or less except in medicines for injection containing 0.02% or less
- 2 Alclometasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 3 Aminophylline; for oral use in liquid form in medicines containing 2% or less
- 4 Amorolfine; for external use in medicines containing more than 0.25%
- 5 Aspirin; in slow-release forms; in enteric coated forms containing more than 300 milligrams per dose form
- 6 Azatadine; for oral use in adults and children over 2 years of age
- 7 Azelastine; in medicines for ophthalmic use containing 0.05% or less
- 8 Brompheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 9 Buclizine; for oral use
- 10 Butoconazole; for vaginal use
- 11 Chloramphenicol; for ophthalmic use; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Chlorbutol; except when specified elsewhere in this schedule
- 13 Chlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 14 Ciclopirox; for external use in medicines containing more than 2%; in preparations for application to the nails containing more than 8%
- 15 Cimetidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical

- practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 16 Clemastine; for oral use
- 17 Clobetasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 18 Clotrimazole; for vaginal use
- 19 Codeine; in medicines for oral use containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for use as an analgesic and when sold in a pack of not more than 5 days' supply, approved by the Minister or the Director-General for distribution as a restricted medicine
- 20 Cyclizine; for oral use other than in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 6 dosage units; for oral use in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 21 Cyproheptadine; for oral use
- 22 Dexchlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 23 Di-iodohydroxy quinoline; for vaginal use
- 24 Diclofenac; in solid dose form in medicines containing 25 milligrams or less and more than 12.5 milligrams per dose form in packs containing not more than 30 tablets or capsules
- 25 Dimenhydrinate; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 26 Dimethindene; for oral use
- 27 Diphenhydramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 28 Dithranol
- 29 Doxylamine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the

- treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 30 Econazole; for vaginal use
- 31 Erythrityl tetranitrate
- 32 Famciclovir; in divided solid dosage forms for oral use containing 500 milligrams or less for the treatment of recurrent herpes labialis when sold in the manufacturer's original pack containing up to 3 dosage units
- 33 Flavoxate
- 34 Fluconazole; for oral use in medicines that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack containing 150 milligrams or less as a single dose for the treatment of vaginal candidiasis
- 35 Fluorides; for external use in liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as restricted medicines; for external use in non-liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram, except in medicines containing 1.5 grams or less and more than 1 gram per litre or per kilogram; except when supplied to a dental professional registered with the Dental Council
- 36 Glucagon; except in medicines containing 100 micrograms or less per litre or per kilogram
- 37 Glyceryl trinitrate; for oral or sublingual use; for rectal use
- 38 Guaifenesin; for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing more than 10 days' supply but not more than 30 days' supply; except for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing not more than 10 days' supply; except for oral use in medicines containing 2% or less or 200 milligrams or less per dose form
- 39 Haemophilus influenzae vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 40 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except an anti-fungal and in a quantity of 30 grams or less or 30 millilitres or less per container; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except 5% or less by weight of aciclovir and in a quantity of 2 grams or less or 2 millilitres or less per container in adults and children 12 years of age and older; in rectal medicines containing 1% or less but more than 0.5% by weight of hydrocorti-

- some base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or up to 12 suppositories per pack
- 41 Hyoscine butylbromide; for oral use in medicines containing not more than 20 milligrams per dose form and in packs containing not more than 10 tablets or capsules for the relief of muscle spasm of the gastrointestinal tract
- 42 Ibuprofen; for oral use in tablets or capsules containing up to 400 milligrams per dose form and in packs containing not more than 50 dose units and that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack labelled for use by adults or children over 12 years of age
- 43 Inositol nicotinate
- 44 Isoconazole; for vaginal use
- 45 Ketoprofen; in solid dose form containing 25 milligrams or less per dose form in packs of not more than 30 capsules or tablets
- 46 Lansoprazole; in divided solid dosage forms for oral use containing 15 milligrams or less with a maximum daily dose of 15 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over for the relief of heartburn when sold in the manufacturer's original pack containing not more than 14 dosage units
- 47 Levonorgestrel; in medicines for use as emergency post-coital contraception when in packs containing not more than 1.5 milligrams
- 48 Macrogols; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 49 Malathion; except for external use in medicines containing 2% or less
- 50 Mannityl hexanitrate
- 51 Meclozine; in a pack size of up to 10 dosage units for the treatment of insomnia
- 52 Mepyramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 53 Methdilazine; for oral use
- 54 Metoclopramide; when compounded with paracetamol in packs of not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 55 Miconazole; for the treatment of oral candidiasis; for vaginal use
- 56 Nicotinic acid except nicotinamide; in medicines containing 250 milligrams or less but more than 100 milligrams per dose form; except in medicines containing 100 milligrams or less per dose form
- 57 Nicotiny alcohol; except in medicines containing 100 milligrams or less per dose form

- 58 Nystatin; for the treatment of oral candidiasis; for vaginal use
- 59 Orlistat; in medicines for weight control containing 120 milligrams or less per dose form
- 60 Oseltamivir; in solid dosage forms for oral use containing 75 milligrams in a pack size of up to 10 dosage units for the treatment or prophylaxis of influenza in adults and children aged 13 years and older who have been exposed to the influenza virus
- 61 Oxiconazole; for vaginal use
- 62 Pheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 63 Pneumococcal vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 64 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 1% or less and more than 0.5%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 65 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 66 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 67 Prochlorperazine; in packs containing not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 68 Promethazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 69 Rizatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms, when in wafers containing 5 milligrams or less per wafer and when sold in a pack containing not more than 2 wafers approved by the Minister or the Director-General for distribution as a restricted medicine
- 70 Salicylic acid; except in medicines for dermal use containing 40% or less
- 71 Santonin

- 72 Sodium phosphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 73 Sodium picosulphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 74 Staphylococcus aureus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 75 Stramonium; for oral use in liquid form; in solid dose form in medicines containing more than 0.3 milligrams per dose or more than 1.2 milligrams per recommended daily dose
- 76 Streptococcus beta-haemolyticus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 77 Sulfacetamide; for ophthalmic use in medicines containing 10% or less
- 78 Sumatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms when in tablets containing 50 milligrams or less per tablet and when sold in a pack containing not more than 2 tablets that has received the consent of the Minister or the Director-General to its sale as a restricted medicine
- 79 Theophylline; in liquid form for oral use in medicines containing 2% or less
- 80 Tioconazole; for vaginal use
- 81 Triamcinolone; for buccal use in medicines containing 0.1% or less of triamcinolone acetonide and in pack sizes of 5 grams or less
- 82 Trimeprazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 83 Triprolidine; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 84 Zolmitriptan; in a pre-filled nasal spray device containing not more than 5 milligrams of zolmitriptan, for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms and when sold in a pack of not more than 2 devices approved by the Minister or the Director-General for distribution as a restricted medicine

Part 3

Pharmacy-only medicines

- 1 8-hydroxyquinoline and its non-halogenated derivatives; in medicines containing more than 1% of such substances; except for hydroxyquinoline sulphate for external use
- 2 Acetic acid and preparations containing more than 80% of acetic acid (CH₃COOH); excluding its salts and derivatives

- 3 Acetylcysteine; for oral use in medicines containing more than 1 gram per recommended daily dose
- 4 Aciclovir; for external use for the treatment of herpes labialis except in medicines containing 5% or less and in tubes containing 10 grams or less
- 5 Aconitum spp; for oral use in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids; for dermal use in concentrations of 0.02% or less and in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids
- 6 Aloes; for internal use; except when obtained solely from the mucilaginous gel of the leaf
- 7 Aloin
- 8 Aloxiprin
- 9 Amethocaine; for external use in medicines containing 10% or less and more than 2%; except in medicines for external use containing 2% or less
- 10 Amorolfine; in preparations for topical use; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 11 Antazoline; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Atropa belladonna; for external use in medicines containing 0.03% or less of the alkaloids of belladonna; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna
- 13 Atropine; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose; in medicines containing atropine sulphate for the treatment of organophosphorus poisoning either in packs of not more than 20 dose units containing 0.6 milligrams or less per dose unit or in injections in packs of not more than 5 vials containing 0.6 milligrams per millilitre; except when sold as an antidote in a device designed for self-injection from outlets licensed to sell organophosphorus poisons; except in medicines containing 300 micrograms or less per litre or per kilogram
- 14 Azelaic acid; for dermal use
- 15 Azelastine; in preparations for nasal use containing 0.15% azelastine hydrochloride or less; in topical eye preparations containing 0.05% or less

- 16 Beclomethasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 17 Benzocaine; in preparations for topical use, other than eye drops, containing 10% or less of total anaesthetic substances except in dermal preparations containing 2% or less of total anaesthetic substances; in divided preparations containing 200 milligrams or less of total anaesthetic substances per dosage unit except in lozenges containing 30 milligrams or less of total anaesthetic substances per dosage unit
- 18 Benzoyl peroxide; for external use in medicines containing more than 5% and not more than 10%; except for medicines for external use containing 5% or less
- 19 Benzydamine; for external use except for oromucosal or topical use
- 20 Bephenium
- 21 Bifonazole; except when specified elsewhere in this schedule; except for dermal use in medicines for tinea pedis only or in shampoos containing 1% or less or when sold in practice by a podiatrist registered with the Podiatrists Board
- 22 Bilastine; in divided solid dosage forms for oral use containing 20 milligrams or less for the treatment of the symptoms of allergic rhinoconjunctivitis (seasonal and perennial) and urticaria when sold in a pack containing not more than 30 dosage units
- 23 Bisacodyl
- 24 Bromhexine
- 25 Brompheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing brompheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 26 Budesonide; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation and when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 27 Carbetapentane; except in medicines containing 0.5% or less
- 28 Carbocisteine
- 29 Cetirizine; for oral use except in divided solid dosage forms for oral use containing 10 milligrams or less of cetirizine hydrochloride per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 5 days' supply

- 30 Chlophedianol
- 31 Chlorbutol; in medicines containing 5% or less and more than 0.5%; except in medicines containing 0.5% or less
- 32 Chloroform; in medicines other than for anaesthesia containing more than 0.5%; except in medicines containing 0.5% or less
- 33 Chlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing chlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 34 Ciclopirox; for external use in medicines containing 2% or less except when for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; in preparations for application to the nails containing 8% or less
- 35 Cinchocaine; for external use in medicines containing 0.5% or less
- 36 Cinnamedrine
- 37 Clotrimazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 38 Cocaine; in medicines for oral use, containing not more than 0.1% of cocaine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, and when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 39 Codeine; in medicines for oral use, containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for the treatment of the symptoms of cough and cold and when sold in a pack of not more than 6 days' supply, approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 40 Colocynth
- 41 Creosote; except in medicines containing 10% or less
- 42 Cresols; except in medicines containing 3% or less
- 43 Datura spp; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 44 Delphinium staphisagria; except in medicines containing 0.2% or less

- 45 Desloratadine; for oral use
- 46 Dexchlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing dexchlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 47 Dextromethorphan; in liquid form containing more than 0.25% or in solid dose form containing more than 15 milligrams per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in liquid form containing 0.25% or less in solid dose form containing 15 milligrams or less per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams
- 48 Dibrompropamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 49 Diclofenac; in solid dose form in medicines containing 12.5 milligrams or less per dose form in packs containing not more than 30 tablets or capsules and with a recommended daily dose of not more than 75 milligrams
- 50 Diphenoxylate; in liquid form containing in each millilitre not more than 0.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate; in solid dose form containing not more than 2.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate
- 51 Dimenhydrinate; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults or children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft
- 52 Diphenhydramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing diphenhydramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft
- 53 Doxylamine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing doxylamine or when at least 1 of the other active ingredients is a sympathomimetic decongestant

- 54 Duboisia leichhardtii; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 55 Duboisia myoporides; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 56 Econazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 57 Esomeprazole; in oral preparations containing 20 milligrams or less per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply
- 58 Etafedrine
- 59 Ether; in medicines containing more than 10%; except in medicines containing 10% or less
- 60 Etofenamate; for external use
- 61 Famotidine; for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 62 Felbinac; for external use
- 63 Fexofenadine; for oral use except for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when in capsules containing 60 milligrams or less of fexofenadine hydrochloride or in tablets containing 120 milligrams or less of fexofenadine hydrochloride with a maximum daily dose of 120 milligrams when sold in the manufacturer's original pack containing 10 dosage units or less and not more than 5 days' supply
- 64 Fluorides; for internal use in medicines containing 0.5 milligrams or less per dose unit; except in parenteral nutrition replacement preparations; for external use in liquid form in medicines containing 1 gram or less per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as pharmacy-only medicines except in medicines containing 220 milligrams or less per litre or per kilogram and in packs containing not more than 120 milligrams of total fluoride; except when supplied to any dental professional registered with the Dental Council; except in medicines containing 15 milligrams or less per litre or per kilogram

- 65 Flurbiprofen; in locally acting oromucosal preparations containing 10 milligrams or less per dosage unit
- 66 Fluticasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age when in aqueous nasal sprays delivering up to 50 micrograms per actuation with a maximum recommended daily dose of 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 67 Folic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
- 68 Folinic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose
- 69 Formaldehyde; except in medicines containing 5% or less
- 70 Gelsemium sempervirens; except in medicines containing 1 milligram or less per litre or per kilogram
- 71 Glutaraldehyde
- 72 Hexachlorophane; in medicines containing 3% or less but more than 0.75%; except in medicines containing 0.75% or less
- 73 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 0.5% or less by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 0.5% or less by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or 12 suppositories or fewer per pack
- 74 Hydrocyanic acid; for oral use in packs containing 5 milligrams or less and more than 0.5 milligrams; except in medicines containing 1 microgram or less per litre or per kilogram; except for oral use in packs containing 0.5 milligrams or less
- 75 Hydroquinone; for external use in medicines containing 2% or less except in hair preparations containing 1% or less
- 76 Hyoscine; for transdermal use in medicines containing 2 milligrams or less of total solanaceous alkaloids per dose unit; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 77 Hyoscyamine; for external use in medicines containing 0.03% or less of total solanaceous alkaloids; for oral use in liquid form in medicines containing

- 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 78 Hyoscyamus niger; for oral use in liquid form in medicines containing 0.03% or less (300 micrograms or less of total solanaceous alkaloids per litre or per kilogram) and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose except in packs containing 30 micrograms or less of total solanaceous alkaloids
- 79 Ibuprofen; for oral use in liquid form with a recommended daily dose of not more than 1.2 grams for the relief of pain and reduction of fever or inflammation when sold in the manufacturer's original pack containing not more than 8 grams; for oral use in solid dose form containing not more than 200 milligrams per dose form and with a recommended daily dose of not more than 1.2 grams when sold in the manufacturer's original pack containing not more than 100 dose units; except in divided solid dosage forms for oral use containing 200 milligrams or less per dose form with a recommended daily dose of not more than 1.2 grams and when sold in the manufacturer's original pack containing not more than 25 dose units; except for external use
- 80 Indanazoline
- 81 Indomethacin; for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 82 Iodine; except for external use in medicines containing 2.5% or less; for internal use in medicines containing less than 300 micrograms per recommended daily dose
- 83 Ipecacuanha; in medicines containing 0.2% or less of emetine and 40 micrograms or more of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in medicines containing less than 40 micrograms of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 84 Ipomoea spp; except ipomoea batatas
- 85 Ipratropium; for nasal use
- 86 Iron; for oral use either in medicines containing more than 24 milligrams per recommended daily dose or in medicines containing more than 5 milligrams per dose unit and more than 750 milligrams of iron per pack; except in parenteral nutrition replacement preparations; except for oral use in medicines containing 24 milligrams or less per recommended daily dose in medicines containing not more than 5 milligrams per dose unit; except for oral use in medi-

- cines containing 24 milligrams or less per recommended daily dose in medicines containing more than 5 milligrams per dose unit in packs containing not more than 750 milligrams of iron
- 87 Isoconazole; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board
- 88 Isopropamide; for dermal use in preparations containing 2% or less
- 89 Jalap resin
- 90 Ketoconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for treatment of the scalp containing 1% or less
- 91 Ketotifen; for ophthalmic use in medicines containing 0.025% or less except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 92 Leucovorin; in medicines containing more than 500 micrograms per recommended daily dose
- 93 Levocabastine; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 94 Levocetirizine; for oral use
- 95 Lignocaine; for urethral use; for external use in medicines containing 10% or less and more than 2%
- 96 Lindane; for external use in medicines containing 2% or less
- 97 Lithium; for dermal use in medicines containing 1% or less but more than 0.01%; except for dermal use in medicines containing 0.01% or less
- 98 Lobelia inflata; except in medicines for smoking or burning
- 99 Lobeline; except when in medicines for smoking or burning
- 100 Lodoxamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 101 Loperamide; in packs containing not more than 20 tablets or capsules; except in divided solid dosage forms for oral use containing 2 milligrams or less of loperamide per dosage form when sold in a pack containing not more than 8 dosage forms approved by the Minister or the Director-General for distribution as a general sales medicine for the symptomatic treatment of acute non-specific diarrhoea
- 102 Loratadine; for oral use; except in divided solid dosage forms for oral use containing 10 milligrams or less per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 10 days' supply
- 103 Macrogols; in preparations for oral use as a liquid concentrate for laxative use

- 104 Mebendazole
- 105 Meclozine; in a sealed container of not more than 12 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or aircraft
- 106 Mefenamic acid; in solid dose form in packs containing not more than 30 tablets or capsules for the treatment of dysmenorrhoea
- 107 Mepyramine; for dermal use; except for external use in medicines containing 2% or less in packs not exceeding 25 grams
- 108 Mercuric oxide; for ophthalmic use
- 109 Mercurochrome; in preparations for external use containing 2% or less
- 110 Mercury; for external use in medicines containing 0.5% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 111 Methoxamine; for external use in medicines containing more than 1%; except for external use in medicines containing 1% or less
- 112 Methoxyphenamine
- 113 Methylephedrine
- 114 Miconazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 115 Minoxidil; for dermal use in medicines containing 5% or less
- 116 Mometasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 117 Morphine; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 118 Naphazoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 119 Naproxen; in solid dose form containing 250 milligrams or less per dose form in packs of not more than 30 tablets or capsules
- 120 Niclosamide
- 121 Nicotine; for inhalation except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner, nurse, pharmacist, or psychologist
- 122 Nizatidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical

- practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 123 Noscapine
- 124 Nystatin; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 125 Omeprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 126 Opium; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 127 Oxetacaine; for internal use
- 128 Oxiconazole; for dermal use except in medicines for tinea pedis only
- 129 Oxymetazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except for nasal use in medicines containing 0.05% or less when sold in the manufacturer's original pack with a pack size of 20 millilitres or less
- 130 Pantoprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 131 Papaverine; except for injection
- 132 Paracetamol; in liquid form; in suppositories; in tablets or capsules containing 500 milligrams or less and in packs containing more than 10 grams and not more than 50 grams; in slow-release forms containing 665 milligrams or less and more than 500 milligrams; in powder form containing not more than 1 gram per sachet and more than 10 grams per pack; except in tablets or capsules containing 500 milligrams or less and in packs containing not more than 10 grams; except in powder form in sachets containing 1 gram or less and in packs of not more than 10 grams
- 133 Paraformaldehyde; except in medicines containing 5% or less
- 134 Penciclovir; for external use for the treatment of herpes labialis; except in medicines for external use containing 1% or less in a pack containing 10 grams or less for the treatment of herpes labialis

- 135 Phedrazine
- 136 Phenazone; for external use
- 137 Pheniramine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing pheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 138 Phenol; except in medicines other than for injection containing 3% or less
- 139 Phenylephrine; for nasal use in medicines containing more than 1%; for ophthalmic use in medicines containing 5% or less and more than 1%; for oral use in medicines containing more than 50 milligrams per recommended daily dose or in packs containing more than 250 milligrams of phenylephrine per pack; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except for nasal or ophthalmic use in medicines containing 1% or less; except for oral use in medicines containing 50 milligrams or less per recommended daily dose and in packs containing 250 milligrams or less of phenylephrine per pack
- 140 Pholcodine; in medicines for oral use containing not more than 15 milligrams of pholcodine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of pholcodine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 141 Piperazine
- 142 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 0.5% or less; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 143 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 144 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 145 Potassium; for internal use: in slow-release or enteric coated forms; except for internal use: in medicines containing 100 milligrams or less per recommended dose; in medicines containing more than 100 milligrams per recommended dose except in medicines for oral rehydration therapy, parenteral nutrition

- replacement, or dialysis; except in glucosamine sulphate complexed products containing 600 milligrams or less of potassium chloride per recommended dose; except for external use
- 146 Potassium chlorate; except in medicines containing 10% or less
- 147 Prilocaine; for dermal use in medicines containing 10% or less of local anaesthetic substances
- 148 Procyclidine; for dermal use in medicines containing 5% or less
- 149 Promethazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing promethazine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 150 Propamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 151 Pyrantel
- 152 Pyrethrins; except in medicines containing 10% or less
- 153 Pyrithione zinc; except in medicines for treatment of the scalp containing 2% or less
- 154 Ranitidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner when sold in the manufacturer's original pack containing not more than 14 days' supply; except in medicines containing 300 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 7 days' supply
- 155 Salicylamide
- 156 Selenium; for oral use in medicines containing 300 micrograms or less and more than 150 micrograms per recommended daily dose; for external use except in medicines containing 3.5% or less of selenium sulphide
- 157 Sennosides
- 158 Silver; except in oral solutions containing 0.3% or less or other medicines containing 1% or less
- 159 Silver sulfadiazine; for external use in pack sizes of 50 grams or less
- 160 Sodium cromoglycate; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 161 Sodium nitrite; except for use as an excipient
- 162 Sodium picosulphate; in oral laxative preparations

- 163 Squill; except in medicines containing 1% or less
- 164 Stramonium; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 165 Sulconazole; for dermal use
- 166 Sulfadiazine, silver; for external use in pack sizes of 50 grams or less
- 167 Terbinafine; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 168 Tetrachloroethylene
- 169 Tetrahydrozoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 170 Thiabendazole
- 171 Tioconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 172 Tramazoline
- 173 Triamcinolone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age and when in aqueous nasal sprays delivering up to 55 micrograms per actuation when the maximum recommended daily dose is no greater than 220 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine
- 174 Trimeprazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing trimeprazine or when at least 1 of the other therapeutically active ingredients is a sympathomimetic decongestant
- 175 Triprolidine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing triprolidine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 176 Tuaminoheptane
- 177 Tymazoline
- 178 Xylenols; except in medicines containing 3% or less
- 179 Xylometazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 180 Zinc chloride; for dermal use in medicines containing more than 5%

Michael Webster,
Clerk of the Executive Council.

Explanatory note

This note is not part of the regulations, but is intended to indicate their general effect.

These regulations, which come into force on the 28th day after the date of their notification in the *Gazette*, replace Schedule 1 of the Medicines Regulations 1984 (the **principal regulations**). *New Schedule 1* sets out an updated list of specified medicines and classes of medicines that are declared to be prescription medicines, restricted medicines, or pharmacy-only medicines under the Medicines Act 1981 (the **Act**).

The updated list includes medicines that the Minister of Health has previously classified as prescription medicines, etc, by *Gazette* notice made under section 106 of the Act (*see* Classification of Medicines (*Gazette* 2018-go419), Classification of Medicines (*Gazette* 2018-go1290), Classification of Medicines (*Gazette* 2018-go4068), and Classification of Medicines (*Gazette* 2018-go4069)). *Gazette* notices made under section 106 override any inconsistent classification of medicines in the principal regulations, but they do not amend the principal regulations and they cease to have effect after a period of 6 months (if not revoked sooner).

Issued under the authority of the Legislation Act 2012.

Date of notification in *Gazette*: 27 September 2018.

These regulations are administered by the Ministry of Health.