



Medicines Amendment Regulations (No 2) 2015

Jerry Mateparae, Governor-General

Order in Council

At Wellington this 27th day of July 2015

Present:

His Excellency the Governor-General in Council

Pursuant to section 105(1)(j) of the Medicines Act 1981, His Excellency the Governor-General makes the following regulations, acting—

- (a) on the advice and with the consent of the Executive Council; and
- (b) on the advice of the Minister of Health tendered after consultation with the organisations or bodies appearing to the Minister to be representative of persons likely to be substantially affected.

Contents

	Page
1 Title	1
2 Commencement	2
3 Principal regulations	2
4 Schedule 1 replaced	2
Schedule	2
Schedule 1 replaced	

Regulations

1 Title

These regulations are the Medicines Amendment Regulations (No 2) 2015.

2 Commencement

These regulations come into force on 6 August 2015.

3 Principal regulations

These regulations amend the Medicines Regulations 1984 (the **principal regulations**).

4 Schedule 1 replaced

Replace Schedule 1 with the Schedule 1 set out in the Schedule of these regulations.

Schedule Schedule 1 replaced

r 4

Schedule 1 Prescription, restricted, and pharmacy-only medicines

r 3

Every reference to a medicine in this schedule applies whether the medicine is synthetic in origin or is from biological or mineral sources.

Unless specific reference is made otherwise, every reference applies also to medicines that are—

- preparations and admixtures containing any proportion of any substance listed in this schedule:
- salts and esters of any substance listed in this schedule:
- preparations or extracts of biological materials listed in this schedule:
- salts or oxides of elements listed in this schedule.

Unless specific reference is made otherwise, every reference to a medicine in this schedule applies,—

- if the medicine is an injection or eye preparation, to any concentration of that medicine; and
- if the medicine is not an injection or eye preparation, only if the concentration of the medicine is greater than 10 milligrams per litre or per kilogram.

Where any reference is modified by a statement of the strength of the medicine, the strength is calculated using the free acid, base, alcohol, or element unless specifically stated otherwise.

Part 1

Prescription medicines

Amending or replacing this Part may affect designated prescriber regulations under section 105(1)(q) of the Act.

- 1 19-norandrostenedione
- 2 2,4-dinitrochlorobenzene
- 3 4-aminopyridine
- 4 4-chloromethandienone
- 5 4-chlorotestosterone
- 6 5-aminolevulinic acid
- 7 Abacavir
- 8 Abatacept
- 9 Abciximab
- 10 Abiraterone
- 11 Abrus precatorius; at all strengths
- 12 Acamprosate
- 13 Acarbose
- 14 Acebutolol
- 15 Acepromazine
- 16 Acetanilides
- 17 Acetarsol
- 18 Acetazolamide
- 19 Acetohexamide
- 20 Acetylcarbromal
- 21 Acetylcholine; except in medicines containing 1 milligram or less per litre or per kilogram
- 22 Acetylcysteine; for injection or inhalation
- 23 Acetyldigitoxin
- 24 Acetylmethyldimethyloximidophenylhydrazine
- 25 Acetylstrophanthidin
- 26 Aciclovir; except for external use for the treatment of herpes labialis
- 27 Acipimox
- 28 Acitretin
- 29 Aclidinium bromide
- 30 Acokanthera ouabaio

31	Acokanthera schimperi
32	Aconitum spp; except when specified elsewhere in this schedule
33	Acrivastine
34	Adalimumab
35	Adapalene
36	Adefovir
37	Adenosine; for injection
38	Adinazolam
39	Adiphenine
40	Adonis vernalis
41	Adrafinil
42	Adrenal extract; except for dermal use in medicines containing 0.02% or less of ketosteroids
43	Adrenaline; in medicines containing more than 1%
44	Adrenocortical hormones; except adrenal extract for dermal use containing 0.02% or less of ketosteroids
45	Afamelanotide
46	Afatinib
47	Aflibercept
48	Agalsidase
49	Agomelatine
50	Alatrofloxacin
51	Albendazole
52	Albumin; except human albumin
53	Alclofenac
54	Alclometasone; except when specified elsewhere in this schedule
55	Alcohol; for injection in medicines containing more than 20%
56	Alcuronium
57	Aldesleukin
58	Aldosterone; except in medicines containing 10 micrograms or less per litre or per kilogram
59	Alefacept
60	Alemtuzumab
61	Alendronic acid
62	Alfacalcidol

63	Alfentanil
64	Alfuzosin
65	Alglucerase
66	Alglucosidase
67	Aliskiren
68	Alkyl sulfonals
69	Allergens
70	Allopurinol
71	Allylisopropylacetylurea; at all strengths
72	Allyloestrenol
73	Alogliptin
74	Alosetron
75	Alpha ₁ -proteinase inhibitor
76	Alphadolone
77	Alphaxalone
78	Alprazolam
79	Alprenolol
80	Alprostadil
81	Alseroxylon
82	Alteplase
83	Altretamine
84	Amantadine
85	Ambenonium
86	Ambrisentan
87	Ambucetamide
88	Ambutonium
89	Amcinonide
90	Amethocaine; for internal use; for external use in medicines containing more than 10%; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
91	Amfebutamone
92	Amfepramone
93	Amidopyrine
94	Amifostine
95	Amikacin

96	Amiloride
97	Aminocaproic acid
98	Aminoglutethimide
99	Aminometradine
100	Aminophenazone; at all strengths
101	Aminophylline; except for oral use in liquid form in medicines containing 2% or less
102	Aminopterin
103	Aminorex
104	Aminosalicyclic acid
105	Amiodarone
106	Amiphenazole
107	Amisometradine
108	Amisulpride
109	Amitriptyline
110	Amlodipine
111	Ammi visnaga
112	Ammonium bromide
113	Amobarbital
114	Amodiaquine
115	Amorolfine; except when specified elsewhere in this schedule; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
116	Amoxapine
117	Amoxicillin
118	Amphotycin
119	Amphotericin
120	Ampicillin
121	Amprenavir
122	Amrinone
123	Amsacrine
124	Amygdalin; at all strengths
125	Amyl nitrite; except when sold to a person who holds a controlled substances licence (issued under section 95B of the Hazardous Substances and New Organisms Act 1996) authorising the person to possess cyanide; except when sold

	to an exempt laboratory covered by a Hazardous Substances and New Organisms Act 1996 approved code of practice
126	Amylocaine
127	Anabolic steroids
128	Anagrelide
129	Anakinra
130	Anastrozole
131	Ancestim
132	Anchusa officinalis; at all strengths
133	Ancrod and its immunoglobulin antidote
134	Androgenic and anabolic steroidal agents
135	Androgens
136	Androisoxazole
137	Androstanolone
138	Androstenediol
139	Androstenedione
140	Anecortave
141	Angiotensinamide
142	Anidulafungin
143	Anistreplase
144	Antazoline; except for ophthalmic use
145	Antibiotic substances; except when specified elsewhere in this schedule
146	Antigens
147	Antihistamines; except when specified elsewhere in this schedule
148	Antimony; except in medicines containing 1 milligram or less per litre or per kilogram
149	Antisera; for injection
150	Apixaban
151	Apocynum spp
152	Apomorphine; except in medicines containing 1 milligram or less per litre or per kilogram
153	Apraclonidine
154	Aprepitant
155	Apronal
156	Aprotinin

157	Arecoline
158	Aripiprazole
159	Aristolochia spp; at all strengths
160	Aristolochic acid; at all strengths
161	Arsenic; except in medicines containing 1 milligram or less per litre or per kilogram
162	Artemether
163	Articaine; except when used as a local anaesthetic in practice by a dental therapist registered with the Dental Council
164	Asenapine
165	Asparaginase
166	Aspirin; for injection; when combined with caffeine, paracetamol, or salicylamide
167	Astemizole
168	Atamestane
169	Atazanavir
170	Atenolol
171	Atomoxetine
172	Atorvastatin
173	Atosiban
174	Atovaquone
175	Atracurium
176	Atropa belladonna; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram
177	Atropine; except when specified elsewhere in this schedule; except when used as an antidote in a device designed for self-injection; except in medicines containing 300 micrograms or less per litre or per kilogram
178	Atropine methonitrate
179	Auranofin
180	Aurothiomalate sodium
181	Avanafil
182	Aviptadil
183	Axitinib
184	Azacitidine
185	Azacyclonol

186	Azapropazone
187	Azaribine
188	Azatadine; except when specified elsewhere in this schedule
189	Azathioprine
190	Azelaic acid; except for dermal use
191	Azelastine; except when specified elsewhere in this schedule
192	Azithromycin
193	Azlocillin
194	Aztreonam
195	Bacampicillin
196	Bacitracin
197	Baclofen
198	Balsalazide
199	Bambuterol
200	Bamethan
201	Bamipine
202	Barbital
203	Barbiturates
204	Basiliximab
205	Bazedoxifene
206	Becaplermin
207	Beclamide
208	Beclomethasone; except when specified elsewhere in this schedule
209	Belatacept
210	Belimumab
211	Bemegride
212	Benactyzine
213	Benazepril
214	Bendamustine
215	Bendrofluazide
216	Benethamine penicillin
217	Benorylate
218	Benoxaprofen
219	Benperidol
220	Benserazide

221	Benzathine penicillin
222	Benzatropine
223	Benzhexol
224	Benzilonium
225	Benzocaine; except when specified elsewhere in this schedule; except in dermal preparations containing 2% or less of total anaesthetic substances; except in lozenges containing 30 milligrams or less of total anaesthetic substances per dosage unit
226	Benzodiazepines
227	Benzoyl metronidazole
228	Benzoyl peroxide; except for external use in medicines containing 10% or less
229	Benzthiazide
230	Benzydamine; for internal use
231	Benzympenicillin
232	Bepriidil
233	Beractant
234	Besifloxacin
235	Beta carotene; in medicines containing more than 18 milligrams per recommended daily dose
236	Betahistine
237	Betamethasone
238	Betaxolol
239	Bethanechol
240	Bethanidine
241	Bevacizumab
242	Bevantolol
243	Bexarotene
244	Bezafibrate
245	Bicalutamide
246	Bifonazole; except for dermal use
247	Bimatoprost
248	Biperiden
249	Bismuth; except for external use in medicines containing 3% or less
250	Bisoprolol
251	Bithionol; at all strengths

252	Bivalirudin
253	Bleomycin
254	Boceprevir
255	Bolandiol
256	Bolasterone
257	Bolazine
258	Boldenone
259	Bolenol
260	Bolmantalate
261	Boron, including borax and boric acid; except for internal use in medicines containing 6 milligrams or less per recommended daily dose; except in dermal medicines for use other than paediatric use containing 0.35% or less; except when present as an excipient
262	Bortezomib
263	Bosentan
264	Botulinum toxins
265	Bretylium
266	Brimonidine
267	Brinzolamide
268	Bromazepam
269	Bromocriptine
270	Bromoform
271	Brompheniramine; except when specified elsewhere in this schedule
272	Bromvaletone
273	Brotizolam
274	Brugmansia spp
275	Buclizine; except for oral use
276	Budesonide; except when specified elsewhere in this schedule
277	Bufexamac; except in suppositories or for dermal use in medicines containing 5% or less
278	Bumetanide
279	Buniodyl sodium; at all strengths
280	Buphenine
281	Bupivacaine
282	Buprenorphine

283	Bupropion
284	Buserelin
285	Buspirone
286	Busulphan
287	Butacaine
288	Butobarbital
289	Butoconazole; except for vaginal use
290	Butorphanol
291	Butyl aminobenzoate; except for dermal use in medicines containing 2% or less
292	Butyl nitrite
293	Butylchloral hydrate
294	Cabazitaxel
295	Cabergoline
296	Cacalia spp; at all strengths
297	Cadmium
298	Calcipotriol; except in medicines containing not more than 50 micrograms per gram or per millilitre and when sold in a pack of not more than 30 grams or 30 millilitres by a pharmacist to an adult with mild to moderate psoriasis previously diagnosed by a doctor
299	Calcitonin
300	Calcitriol
301	Calcium carbimide
302	Calcium polystyrene sulphonate
303	Calotropis gigantea
304	Calotropis procera
305	Calusterone
306	Camazepam
307	Camphorated oil
308	Camphotamide
309	Canagliflozin
310	Canakinumab
311	Candesartan
312	Candicidin
313	Cannabidiol

314	Capecitabine
315	Capreomycin
316	Captodiame
317	Captopril
318	Capuride
319	Caramiphen
320	Carbachol
321	Carbamazepine
322	Carbaryl; except for external use in medicines containing 2% or less
323	Carbazochrome
324	Carbenicillin
325	Carbenoxolone; for internal use
326	Carbetocin
327	Carbidopa
328	Carbimazole
329	Carbocromen
330	Carboplatin
331	Carboprost
332	Carbromal
333	Carbutamide
334	Carbuterol
335	Carindacillin
336	Carisoprodol
337	Carmustine
338	Carprofen
339	Carvedilol
340	Caspofungin
341	Catumaxomab
342	Cefacetile
343	Cefaclor
344	Cefaloridine
345	Cefamandole
346	Cefapirin
347	Cefazolin
348	Cefepime

349	Cefetamet
350	Cefixime
351	Cefodizime
352	Cefonicid
353	Cefoperazone
354	Cefotaxime
355	Cefotetan
356	Cefotiam
357	Cefoxitin
358	Cefpirome
359	Cefpodoxime
360	Cefsulodin
361	Ceftaroline fosamil
362	Ceftazidime
363	Ceftibuten
364	Ceftolozane
365	Ceftriaxone
366	Cefuroxime
367	Celecoxib
368	Celiprolol
369	Cephaelis acuminata; except in medicines containing less than 0.2% of emetine
370	Cephaelis ipecacuanha; except in medicines containing less than 0.2% of emetine
371	Cephalexin
372	Cephalothin
373	Cephradine
374	Cerivastatin
375	Certolizumab pegol
376	Ceruletide
377	Cetirizine; except for oral use
378	Cetrorelix
379	Cetuximab
380	Chenodeoxycholic acid
381	Chloral hydrate; except for dermal use in medicines containing 2% or less
382	Chloralformamide

383	Chloralose
384	Chlorambucil
385	Chloramphenicol; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except when specified elsewhere in this schedule
386	Chlorandrostenolone
387	Chlorazanil
388	Chlorcyclizine
389	Chlordiazepoxide
390	Chlormerodrin
391	Chlormethiazole
392	Chlormezanone
393	Chloroform; for anaesthesia; except when specified elsewhere in this schedule
394	Chloroquine
395	Chlorothiazide
396	Chlorotrianisene
397	Chloroxydienone
398	Chloroxymesterone
399	Chlorpheniramine; except when specified elsewhere in this schedule
400	Chlorphentermine
401	Chlorpromazine
402	Chlorpropamide
403	Chlorprothixene
404	Chlorquinaldol
405	Chlortetracycline
406	Chlorthalidone
407	Chlorzoxazone
408	Cholera vaccine; except in the form of an oral liquid containing vibrio cholerae when sold in a pharmacy by a registered pharmacist
409	Choline salicylate; except in medicines containing 10% or less and in pack sizes of 15 grams or less
410	Chorionic gonadotrophin; except in pregnancy test kits
411	Chymopapain
412	Ciclacillin
413	Ciclesonide

414	Ciclopirox; except for external use
415	Cidofovir
416	Cilastatin
417	Cilazapril
418	Cilostazol
419	Cimetidine; except when specified elsewhere in this schedule
420	Cinacalcet
421	Cinchocaine; for injection; for ophthalmic use; for external use in medicines containing more than 0.5%
422	Cinchophen
423	Cinoxacin
424	Ciprofloxacin
425	Cisapride
426	Cisatracurium
427	Cisplatin
428	Citalopram
429	Cladribine
430	Clarithromycin
431	Clavulanic acid
432	Clemastine; except for oral use
433	Clemizole
434	Clenbuterol
435	Clevidipine
436	Clidinium
437	Clindamycin
438	Clioquinol; at all strengths
439	Clobazam
440	Clobetasol
441	Clobetasone; except when specified elsewhere in this schedule
442	Clocortolone
443	Clodronic acid
444	Clofarabine
445	Clofazimine
446	Clofenamide
447	Clofibrate

448	Clomiphene
449	Clomipramine
450	Clomocycline
451	Clonazepam
452	Clonidine
453	Clopamide
454	Clopidogrel
455	Clorexolone
456	Clorprenaline
457	Clostebol
458	Clotiazepam
459	Clotrimazole; except in medicines for vaginal or external use
460	Cloxacillin
461	Cloxazolam
462	Clozapine
463	Cobalt
464	Cobicistat
465	Cocaine; except when specified elsewhere in this schedule
466	Codeine; except when specified elsewhere in this schedule
467	Co-dergocrine
468	Colaspase
469	Colchicine
470	Colchicum
471	Colecalciferol; in medicines containing more than 25 micrograms per recommended daily dose except in parenteral nutrition replacement preparations
472	Colestipol
473	Colestyramine
474	Colfosceril
475	Colistin
476	Collagen; in injections or implants for tissue augmentation or cosmetic use
477	Collagenase clostridium histolyticum
478	Conium maculatum; at all strengths
479	Convallaria keiski
480	Convallaria majalis
481	Corifollitropin alfa

482	Coronilla spp
483	Corticosterone
484	Corticotrophin
485	Cortisone and other steroidal hormones of the adrenal cortex; except when specified elsewhere in this schedule; except adrenal extract for dermal use in medicines containing 0.02% or less of ketosteroids
486	Cotarnine; at all strengths
487	Co-trimoxazole
488	Coumarin
489	Crizotinib
490	Crofelemer
491	Crotalaria spp; at all strengths
492	Croton tiglium; except in medicines containing 1 milligram or less per litre or per kilogram
493	Crystal violet
494	Curare
495	Cyclandelate
496	Cyclizine; except when specified elsewhere in this schedule
497	Cyclobenzaprine
498	Cyclofenil
499	Cycloheximide
500	Cyclopenthiiazide
501	Cyclopentolate; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
502	Cyclophosphamide
503	Cyclopropane
504	Cycloserine
505	Cyclosporin
506	Cyclothiazide
507	Cycrimine
508	Cymarin
509	Cynoglossum spp; at all strengths
510	Cyproheptadine; except for oral use
511	Cyproterone
512	Cysteamine

513	Cytarabine
514	Dabigatran
515	Dabrafenib mesilate
516	Dacarbazine
517	Daclizumab
518	Dactinomycin
519	Dalfopristin
520	Dalteparin
521	Danaparoid
522	Danazol
523	Danthron
524	Dantrolene
525	Dapagliflozin
526	Dapoxetine
527	Dapsone
528	Daptomycin
529	Darbepoetin
530	Darifenacin
531	Darunavir
532	Dasabuvir
533	Dasatinib
534	Datura spp; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
535	Daunorubicin
536	Deanol
537	Debrisoquine
538	Decamethonium
539	Deferasirox
540	Deferiprone
541	Deflazacort
542	Degarelix
543	Dehydrochloromethyltestosterone
544	Dehydrocorticosterone
545	Delavirdine
546	Delorazepam

547	Demecarium
548	Demeclocycline
549	Denosumab
550	Deoxycortone
551	Deoxyribonuclease; except for external use
552	Desferrioxamine
553	Desflurane
554	Desipramine
555	Desirudin
556	Deslanoside
557	Desloratadine; except for oral use
558	Deslorelin
559	Desmopressin
560	Desogestrel
561	Desonide
562	Desoximetasone
563	Desvenlafaxine
564	Dexamethasone
565	Dexamfetamine
566	Dexchlorpheniramine; except when specified elsewhere in this schedule
567	Dexfenfluramine
568	Dexmedetomidine
569	Dextromethorphan; except when specified elsewhere in this schedule
570	Dextromoramide
571	Dextropropoxyphene
572	Dextrorphan
573	Di-iodohydroxy quinoline; except for vaginal use
574	Di-isopropylamine dichloroacetate
575	Diazepam
576	Diazoxide
577	Dibenzepin
578	Dibotermine
579	Dibrompropamide; except for ophthalmic use
580	Dichloralphenazone
581	Dichlorophen

582	Dichlorphenamide
583	Diclofenac; in preparations for the treatment of solar keratosis; except when specified elsewhere in this schedule; except in preparations for external use other than for the treatment of solar keratosis
584	Dicloxacillin
585	Dicyclomine
586	Didanosine
587	Dienoestrol
588	Dienogest
589	Diethazine
590	Diethylcarbamazine
591	Diethylstilbestrol
592	Diflorasone
593	Diflucortolone
594	Diflunisal
595	Digitalis lanata
596	Digitalis purpurea
597	Digitoxin
598	Digoxin
599	Digoxin-specific antibody fragment
600	Dihydralazine
601	Dihydrocodeine
602	Dihydroergotoxine
603	Dihydrolone
604	Dihydrotachysterol
605	Diltiazem
606	Dimenhydrinate; except when specified elsewhere in this schedule
607	Dimercaprol
608	Dimethandrostanolone
609	Dimethazine
610	Dimethindene; except for oral use
611	Dimethothiazine
612	Dimethoxanate
613	Dimethyl fumarate
614	Dimethyl sulphoxide

615	Dinitrocresols
616	Dinitronaphthols
617	Dinitrophenols
618	Dinitrothymols
619	Dinoprost
620	Dinoprostone
621	Diperodon
622	Diphemanil; except for dermal use
623	Diphenhydramine; except when specified elsewhere in this schedule
624	Diphenidol
625	Diphenoxylate; except when specified elsewhere in this schedule
626	Diphenylpyraline
627	Diphtheria, tetanus and pertussis (acellular, component) vaccine; except when administered in a single dose to a person 18 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
628	Diphtheria toxoid
629	Diphtheria vaccine
630	Dipivefrin
631	Dipyridamole
632	Dirithromycin
633	Disopyramide
634	Distigmine
635	Disulfiram
636	Disulphamide
637	Ditiocarb
638	Dobutamine
639	Docetaxel
640	Dofetilide
641	Dolasetron
642	Dolutegravir
643	Domperidone
644	Donepezil
645	Dopamine

646	Dopexamine
647	Doripenem
648	Dornase
649	Dorzolamide
650	Dothiepin
651	Doxantrazole
652	Doxapram
653	Doxazosin
654	Doxepin
655	Doxorubicin
656	Doxycycline
657	Doxylamine; except when specified elsewhere in this schedule
658	Dronedarone
659	Droperidol
660	Drospirenone
661	Drostanolone
662	Drotrecogin
663	Duboisia leichhardtii; except when specified elsewhere in this schedule
664	Duboisia myoporides; except when specified elsewhere in this schedule
665	Dulcin; at all strengths
666	Duloxetine
667	Dutasteride
668	Dydrogesterone
669	Econazole; except in medicines for vaginal or dermal use
670	Ecothiopate
671	Ectylurea
672	Eculizumab
673	Edetic acid; in medicines containing more than 0.25%; except in contact lens preparations; except dicobalt edetate for the treatment of cyanide poisoning
674	Edoxudine
675	Edrophonium
676	Efalizumab
677	Efavirenz
678	Eflornithine
679	Eletriptan

680	Eltrombopag olamine
681	Elvitegravir
682	Emepronium
683	Emetine; in medicines containing more than 0.2%
684	Empagliflozin
685	Emtricitabine
686	Enalapril
687	Enestebol
688	Enflurane
689	Enfuvirtide
690	Enobosarm
691	Enoxacin
692	Enoxaparin
693	Enoximone
694	Enprostil
695	Entacapone
696	Entecavir
697	Enzalutamide
698	Ephedrine
699	Epicillin
700	Epinastine
701	Epirubicin
702	Epitiostanol
703	Eplerenone
704	Epoetins
705	Epoprostenol
706	Eprosartan
707	Eptifibatide
708	Ergocalciferol; in medicines containing more than 25 micrograms per recommended daily dose
709	Ergometrine
710	Ergot
711	Ergotamine
712	Ergotoxine
713	Eribulin

714	Erlotinib
715	Ertapenem
716	Erysimum spp; except in medicines containing 1 milligram or less per litre or per kilogram
717	Erythromycin
718	Erythropoietin
719	Escitalopram
720	Esmolol
721	Esomeprazole
722	Estazolam
723	Estramustine
724	Estropipate
725	Etanercept
726	Ethacrynic acid
727	Ethambutol
728	Ethamivan
729	Ethanolamine; for injection
730	Ethchlorvynol
731	Ether; for anaesthesia
732	Ethinamate
733	Ethinylestradiol
734	Ethionamide
735	Ethisterone
736	Ethoglucid
737	Ethoheptazine
738	Ethopropazine
739	Ethosuximide
740	Ethotoin
741	Ethoxzolamide
742	Ethyl chloride; for inhalation
743	Ethyl loflazepate
744	Ethyldienolone
745	Ethylhexanediol; at all strengths
746	Ethyloestrenol
747	Ethynodiol

748	Etidocaine
749	Etidronic acid; except in medicines for external use containing 1% or less
750	Etilefrine
751	Etodolac
752	Etofenamate; except for external use
753	Etonogestrel
754	Etoposide
755	Etoricoxib
756	Etravirine
757	Etretinate
758	Everolimus
759	Exemestane
760	Exenatide
761	Ezetimibe
762	Factor VIII inhibitor bypassing fraction
763	Famciclovir; except when specified elsewhere in this schedule
764	Famotidine; except when specified elsewhere in this schedule
765	Fampridine
766	Farfugium japonicum; at all strengths
767	Febuxostat
768	Felbinac; except for external use
769	Felodipine
770	Felypressin; except when combined with a local anaesthetic and used in practice by a dental therapist registered with the Dental Council
771	Fenbufen
772	Fenclofenac
773	Fenfluramine
774	Fenofibrate
775	Fenoldopam
776	Fenoprofen
777	Fenoterol
778	Fenpipramide
779	Fenpiprane
780	Fentanyl
781	Ferric carboxymaltose

782	Fexofenadine; except for oral use
783	Fibrin
784	Fibrinolysin; except for external use
785	Fidaxomicin
786	Filgrastim
787	Finasteride
788	Fingolimod
789	Flecainide
790	Fleroxacin
791	Floctafenine
792	Fluanisone
793	Fluclorolone
794	Flucloxacillin
795	Fluconazole; except when specified elsewhere in this schedule
796	Flucytosine
797	Fludarabine
798	Fludiazepam
799	Fludrocortisone
800	Flufenamic acid
801	Flumazenil
802	Flumethasone
803	Flumethiazide
804	Flunisolide
805	Flunitrazepam
806	Fluocinolone
807	Fluocinonide
808	Fluocortin
809	Fluocortolone
810	Fluorescein; for injection
811	Fluorides; for internal use in medicines containing more than 0.5 milligrams per dose unit except in medicines containing 15 milligrams or less per litre or per kilogram; except in parenteral nutrition replacement preparations; for external use in medicines containing more than 5.5 grams per litre or per kilogram except when supplied to a dental professional registered with the Dental Council
812	Fluorometholone

813	Fluorouracil
814	Fluoxetine
815	Fluoxymesterone
816	Flupenthixol
817	Fluphenazine
818	Flurandrenolone
819	Flurazepam
820	Flurbiprofen; except in locally acting oromucosal preparations containing 10 milligrams or less per dosage unit
821	Fluroxene
822	Fluspirilene
823	Flutamide
824	Fluticasone; except when specified elsewhere in this schedule
825	Fluvastatin
826	Fluvoxamine
827	Folic acid; for injection except in parenteral nutrition replacement preparations
828	Folinic acid; for injection
829	Follicle-stimulating hormone; except in medicines containing 100 micrograms or less per litre or per kilogram
830	Follistatin
831	Follitropin
832	Fomivirsen
833	Fondaparinux
834	Formebolone
835	Formestane
836	Formoterol
837	Fosamprenavir
838	Fosaprepitant
839	Foscarnet
840	Fosfestrol
841	Fosinopril
842	Fosphenytoin
843	Fotemustine
844	Framycetin
845	Fulvestrant

846	Furaltadone
847	Furazabol
848	Furazolidone
849	Furosemide
850	Fusidic acid
851	Gabapentin
852	Galantamine
853	Galanthus spp
854	Gallamine
855	Galsulfase
856	Ganciclovir
857	Ganirelix
858	Gatifloxacin
859	Gefitinib
860	Gemcitabine
861	Gemprost
862	Gemfibrozil
863	Gemifloxacin
864	Gemtuzumab ozogamicin
865	Gentamicin
866	Gestodene
867	Gestonorone
868	Gestrinone
869	Ghrelin
870	Gitalin
871	Glatiramer acetate
872	Glibenclamide
873	Glibornuride
874	Gliclazide
875	Glimepiride
876	Glipizide
877	Glisoxepide
878	Glutathione; for injection
879	Glyceryl trinitrate; for injection; for transdermal use; except in medicines containing 100 micrograms or less per litre or per kilogram

880	Glycopyrronium
881	Glymidine
882	Golimumab
883	Gonadorelin
884	Gonadotrophic hormones; except when specified elsewhere in this schedule
885	Goserelin
886	Gramicidin
887	Granisetron
888	Grepafloxacin
889	Griseofulvin
890	Guaiphenesin; for oral use in medicines containing more than 2% or 200 milligrams per dose form except when specified elsewhere in this schedule; except for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing not more than 10 days' supply
891	Guanabenz
892	Guanethidine
893	Guanidine
894	Hachimycin
895	Haematin
896	Haemophilus influenzae vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
897	Halazepam
898	Halcinonide
899	Halofantrine
900	Halofenate
901	Haloperidol; except in medicines containing 1 milligram or less per litre or per kilogram
902	Halothane
903	Haloxazolam
904	Halquinol; for internal use
905	Heliotropium spp; at all strengths
906	Hemerocallis
907	Heparins; for internal use; except when present as an excipient
908	Hepatitis A vaccine
909	Hepatitis B vaccine

910	Hetacillin
911	Hexachlorophane; in medicines containing more than 3%
912	Hexamethonium
913	Hexarelin
914	Hexetidine; for internal use
915	Hexobendine
916	Hexocyclium
917	Hexoprenaline
918	Histamine; in medicines containing more than 0.5%
919	Homatropine
920	Human chorionic gonadotrophin; except in pregnancy test kits
921	Human growth hormone secretagogues
922	Human papillomavirus vaccine
923	Human protein C
924	Hyaluronic acid; in injections or implants for tissue augmentation or cosmetic use
925	Hydralazine
926	Hydrargaphen
927	Hydrochlorothiazide
928	Hydrocortisone; except when specified elsewhere in this schedule
929	Hydrocyanic acid; except when specified elsewhere in this schedule; except in medicines containing 1 microgram or less per litre or per kilogram
930	Hydroflumethiazide
931	Hydromorphone
932	Hydroquinone; except in medicines for external use containing 2% or less
933	Hydroxychloroquine
934	Hydroxyephedrine
935	Hydroxyphenamate
936	Hydroxyprogesterone
937	Hydroxystenozol
938	Hydroxyurea
939	Hydroxyzine
940	Hylan polymer; in injections or implants for tissue augmentation or cosmetic use

- 941 Hyoscine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
- 942 Hyoscine butylbromide; except when specified elsewhere in this schedule
- 943 Hyoscyamine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
- 944 Hyoscyamus niger; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram
- 945 Hypothalamic releasing factors
- 946 Hypromellose; for injection; except in intraocular viscoelastic products
- 947 Ibandronic acid
- 948 Ibogaine
- 949 Ibritumomab tiuxetan
- 950 Ibrutinib
- 951 Ibuprofen
- 952 Ibuprofen; except when specified elsewhere in this schedule
- 953 Ibuterol
- 954 Ibutilide
- 955 Icatibant
- 956 Idarubicin
- 957 Idoxuridine; except for dermal use in medicines containing 0.5% or less
- 958 Idursulfase
- 959 Ifosfamide
- 960 Iloprost
- 961 Imatinib
- 962 Imiglucerase
- 963 Imipenem
- 964 Imipramine
- 965 Imiquimod
- 966 Immunoglobulins
- 967 Indacaterol
- 968 Indapamide
- 969 Indinavir
- 970 Indomethacin; except for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 971 Indoprofen

972	Indoramin
973	Infliximab
974	Influenza and coryza vaccines; for injection; for nasal use
975	Influenza vaccine; except when administered to a person 18 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
976	Ingenol mebutate
977	Insulin-like growth factors; except when specified elsewhere in this schedule
978	Insulins
979	Interferons
980	Interleukins
981	Iodothiouracil
982	Ipamorelin
983	Ipecacuanha; except in medicines containing less than 0.2% of emetine
984	Ipilimumab
985	Ipratropium; except for nasal use
986	Ipriflavone
987	Iprindole
988	Iproniazid
989	Irbesartan
990	Irinotecan
991	Iron; for injection except in parenteral nutrition replacement preparations
992	Isoaminile
993	Isoamyl nitrite
994	Isobutyl nitrite
995	Isocarboxazid
996	Isoconazole; except in medicines for vaginal or dermal use
997	Isoetarine
998	Isoflurane
999	Isometheptene
1000	Isoniazid
1001	Isoprenaline
1002	Isoprinosine
1003	Isopropamide; except for dermal use in preparations containing 2% or less

1004	Isosorbide dinitrate
1005	Isosorbide mononitrate
1006	Isotretinoin
1007	Isoxicam
1008	Isoxsuprine
1009	Isradipine
1010	Itraconazole
1011	Ivabradine
1012	Ivacaftor
1013	Ivermectin
1014	Ixabepilone
1015	Japanese encephalitis vaccine
1016	Juniperus sabina; at all strengths
1017	Kanamycin
1018	Ketamine
1019	Ketanserin
1020	Ketazolam
1021	Ketoconazole; except for dermal use
1022	Ketoprofen; except when specified elsewhere in this schedule; except for dermal use
1023	Ketorolac
1024	Ketotifen; except for ophthalmic use in medicines containing 0.025% or less
1025	Khellin
1026	Labetalol
1027	Lacidipine
1028	Lacosamide
1029	Lamivudine
1030	Lamotrigine
1031	Lanatosides
1032	Lanreotide
1033	Lansoprazole; except when specified elsewhere in this schedule
1034	Lanthanum
1035	Lapatinib
1036	Laronidase-rch
1037	Laropiprant

1038	Latamoxef
1039	Latanoprost
1040	Laudexium
1041	Lauromacrogols; for injection
1042	Lead
1043	Ledipasvir
1044	Lefetamine
1045	Leflunomide
1046	Lenalidomide
1047	Lenograstim
1048	Lepirudin
1049	Leptazol
1050	Lercanidipine
1051	Letrozole
1052	Leucovorin; for injection
1053	Leuprorelin
1054	Levallorphan
1055	Levamisole
1056	Levetiracetam
1057	Levobunolol
1058	Levobupivacaine
1059	Levocabastine; except for nasal or ophthalmic use
1060	Levocetirizine; except for oral use
1061	Levodopa
1062	Levomepromazine
1063	Levonorgestrel; except when specified elsewhere in this schedule; except in medicines for use as emergency post-coital contraception when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health
1064	Levosimendan
1065	Lidoflazine
1066	Lignocaine; for injection except when used as a local anaesthetic in practice by a nurse whose scope of practice permits the performance of general nursing functions or by a podiatrist registered with the Podiatrists Board or dental therapist registered with the Dental Council; for oral use except in throat lozenges containing 30 milligrams or less per dose form; for ophthalmic use ex-

- cept when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for external use in medicines containing more than 10%
- 1067 Ligularia dentata; at all strengths
- 1068 Linagliptin
- 1069 Lincomycin
- 1070 Lindane; except for external use in medicines containing 2% or less
- 1071 Linezolid
- 1072 Liothyronine
- 1073 Liraglutide
- 1074 Lisinopril
- 1075 Lisuride
- 1076 Lithium; except when specified elsewhere in this schedule; except when present as an excipient in dermal medicines containing 0.25% or less
- 1077 Lixisenatide
- 1078 Lodoxamide; except in medicines for ophthalmic use
- 1079 Lofexidine
- 1080 Lomefloxacin
- 1081 Lomustine
- 1082 Loperamide; except when specified elsewhere in this schedule
- 1083 Lopinavir
- 1084 Loprazolam
- 1085 Loracarbef
- 1086 Loratadine; except for oral use
- 1087 Lorazepam
- 1088 Lormetazepam
- 1089 Losartan
- 1090 Loteprednol
- 1091 Lovastatin; except when present as an unmodified, naturally occurring substance in a food that has not been subject to a manufacturing process other than heating, freezing, drying, preserving, bottling, canning, or packaging in retort pouches
- 1092 Loxapine
- 1093 Lumefantrine
- 1094 Lumiracoxib
- 1095 Lurasidone

1096	Luteinising hormone
1097	Lymecycline
1098	Macitentan
1099	Mafenide
1100	Mannomustine
1101	Maprotiline
1102	Maraviroc
1103	Mazindol
1104	Measles vaccine
1105	Mebanazine
1106	Mebeverine
1107	Mebhydrolin
1108	Mebolazine
1109	Mebutamate
1110	Mecamylamine
1111	Mecasermin
1112	Mecillinam
1113	Meclocycline
1114	Meclofenamate
1115	Meclofenoxate
1116	Meclozine; except when specified elsewhere in this schedule
1117	Medazepam
1118	Medigoxin
1119	Medroxyprogesterone
1120	Medrysone
1121	Mefenamic acid; except when specified elsewhere in this schedule
1122	Mefloquine
1123	Mefruside
1124	Megestrol
1125	Melagatran
1126	Melanocyte stimulating compounds
1127	Melatonin
1128	Melengestrol
1129	Melia azedarach; at all strengths
1130	Meloxicam

1131	Melphalan
1132	Memantine
1133	Meningococcal vaccine; except when administered to a person 16 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
1134	Menotrophin
1135	Mepacrine
1136	Mepenzolate
1137	Mephenesin
1138	Mephentermine
1139	Mepindolol
1140	Mepitiostane
1141	Mepivacaine
1142	Meprobamate
1143	Meptazinol
1144	Mepyramine; except when specified elsewhere in this schedule
1145	Mequitazine
1146	Mercaptomerin
1147	Mercaptopurine
1148	Mercurochrome; except when specified elsewhere in this schedule
1149	Mercury; except when specified elsewhere in this schedule; except in medicines containing 1 milligram or less per litre or per kilogram
1150	Meropenem
1151	Mersalyl
1152	Mesabolone
1153	Mesalazine
1154	Mesna
1155	Mestanolone
1156	Mesterolone
1157	Mestranol
1158	Metamfetamine
1159	Metandienone
1160	Metaraminol
1161	Metenolone

1162	Metergoline
1163	Metformin
1164	Methacholine
1165	Methacycline
1166	Methadone
1167	Methallenoestril
1168	Methandriol
1169	Methanthelinium
1170	Methazolamide
1171	Methdilazine; except for oral use
1172	Methicillin
1173	Methimazole
1174	Methisazone
1175	Methixene
1176	Methocarbamol
1177	Methohexitone
1178	Methoin
1179	Methotrexate
1180	Methoxamine; except for external use
1181	Methoxsalen
1182	Methoxyflurane
1183	Methsuximide
1184	Methyclothiazide
1185	Methyl aminolevulinate
1186	Methyl androstanolone
1187	Methyl clostebol
1188	Methyl mercury; except in medicines containing 300 micrograms or less per litre or per kilogram
1189	Methyl salicylate; for internal use except when present as an excipient in medicines containing 1.04% or less per dose form
1190	Methyl trienolone
1191	Methyldopa
1192	Methylene blue; for injection
1193	Methylergometrine
1194	Methylnaltrexone

1195	Methylpentynol
1196	Methylphenidate
1197	Methylphenobarbital
1198	Methylprednisolone
1199	Methyltestosterone
1200	Methylthiouracil
1201	Methyprylon
1202	Methysergide
1203	Metoclopramide; except when specified elsewhere in this schedule
1204	Metolazone
1205	Metoprolol
1206	Metribolone
1207	Metrifonate
1208	Metronidazole
1209	Metyrapone
1210	Mexiletine
1211	Mezlocillin
1212	Mianserin
1213	Mibefradil
1214	Mibolerone
1215	Micafungin
1216	Miconazole; except when specified elsewhere in this schedule; except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
1217	Midazolam
1218	Midodrine
1219	Mifepristone
1220	Miglitol
1221	Miglustat
1222	Milrinone
1223	Minocycline
1224	Minoxidil; except for dermal use in medicines containing 5% or less
1225	Mirabegron
1226	Mirtazapine
1227	Misoprostol

1228	Mitobronitol
1229	Mitomycin
1230	Mitoxantrone
1231	Mitragyna speciosa
1232	Mitragynine
1233	Mivacurium
1234	Moclobemide
1235	Modafinil
1236	Molgramostim
1237	Molindone
1238	Mometasone; except when specified elsewhere in this schedule
1239	Monobenzene
1240	Monoclonal antibodies; except in pregnancy test kits
1241	Montelukast
1242	Moperone
1243	Morazone
1244	Moricizine
1245	Morphine; except when specified elsewhere in this schedule
1246	Motrazepam
1247	Motretinide
1248	Moxifloxacin
1249	Mumps vaccine
1250	Mupirocin
1251	Muraglitazar
1252	Muromonab
1253	Mustine
1254	Mycophenolic acid
1255	Nabilone
1256	Nabumetone
1257	Nadolol
1258	Nadroparin
1259	Nafarelin
1260	Naftidrofuryl
1261	Nalbuphine
1262	Nalidixic acid

1263	Nalmefene
1264	Nalorphine
1265	Naloxone
1266	Naltrexone
1267	Nandrolone
1268	Naproxen; except when specified elsewhere in this schedule
1269	Naratriptan
1270	Natalizumab
1271	Natamycin
1272	Nateglinide
1273	Nebacumab
1274	Nebivolol
1275	Nedocromil
1276	Nefazodone
1277	Nefopam
1278	Nelfinavir
1279	Neomycin
1280	Neostigmine
1281	Nepafenac
1282	Nerium oleander
1283	Nesiritide
1284	Netilmicin
1285	Nevirapine
1286	Nialamide
1287	Nicardipine
1288	Nicergoline
1289	Nicofuranose
1290	Nicorandil
1291	Nicotine; for nasal use except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner; in medicines other than for smoking cessation
1292	Nicotinic acid except nicotinamide; in medicines containing more than 250 milligrams per dose form
1293	Nicoumalone
1294	Nifedipine

1295	Nifenazone
1296	Nikethamide
1297	Nilotinib
1298	Nilutamide
1299	Nimesulide
1300	Nimetazepam
1301	Nimodipine
1302	Nimorazole
1303	Nintedanib
1304	Niridazole
1305	Nisoldipine
1306	Nitisinone
1307	Nitrazepam
1308	Nitrendipine
1309	Nitric oxide
1310	Nitrofurantoin
1311	Nitrofurazone
1312	Nitrous oxide; when supplied for inhalation
1313	Nitroxoline
1314	Nizatidine; except when specified elsewhere in this schedule
1315	Nomegestrol
1316	Nomifensine
1317	Noradrenaline
1318	Norandrostenolone
1319	Norbolethone
1320	Norclostebol
1321	Nordazepam
1322	Norelgestromin
1323	Norethandrolone
1324	Norethisterone
1325	Norfloxacin
1326	Norgestrel
1327	Noribogaine
1328	Normethandrone
1329	Nortriptyline

- 1330 Noxiptyline
- 1331 Nux vomica; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
- 1332 Nystatin; except when specified elsewhere in this schedule; except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 1333 Obinutuzumab
- 1334 Ocriplasmin
- 1335 Octamylamine
- 1336 Octatropine
- 1337 Octreotide
- 1338 Octyl nitrite
- 1339 Oestradiol; except in medicines containing 10 micrograms or less per litre or per kilogram
- 1340 Oestriol
- 1341 Oestrogens
- 1342 Oestrone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1343 Ofatumumab
- 1344 Ofloxacin
- 1345 Olanzapine
- 1346 Oleandomycin
- 1347 Oleandrin
- 1348 Olmesartan
- 1349 Olodaterol
- 1350 Olopatadine
- 1351 Olsalazine
- 1352 Omalizumab
- 1353 Ombitasvir
- 1354 Omeprazole; except when specified elsewhere in this schedule
- 1355 Ondansetron
- 1356 Opipramol
- 1357 Opium; except when specified elsewhere in this schedule
- 1358 Orciprenaline
- 1359 Orlistat; except in medicines for weight control containing 120 milligrams or less per dose form

1360	Ornidazole
1361	Ornipressin
1362	Orphenadrine
1363	Orthopterin
1364	Oseltamivir; except when specified elsewhere in this schedule
1365	Ouabain
1366	Ovandrotone
1367	Oxabolone
1368	Oxacillin
1369	Oxaliplatin
1370	Oxandrolone
1371	Oxaprozin
1372	Oxazepam
1373	Oxazolam
1374	Oxcarbazepine
1375	Oxedrine; in medicines containing more than 30 milligrams per recommended daily dose
1376	Oxetacaine; except for internal use
1377	Oxiconazole; except when specified elsewhere in this schedule
1378	Oxitropium
1379	Oxolamine
1380	Oxolinic acid
1381	Oxpentifylline
1382	Oxprenolol
1383	Oxybuprocaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1384	Oxybutynin
1385	Oxycodone
1386	Oxymesterone
1387	Oxymetholone
1388	Oxyphenbutazone
1389	Oxyphencyclimine
1390	Oxyphenisatin; at all strengths
1391	Oxyphenonium
1392	Oxytetracycline

1393	Oxytocin; except in medicines containing 1 microgram or less per litre or per kilogram
1394	Paclitaxel
1395	Palifermin
1396	Paliperidone
1397	Palivizumab
1398	Palonosetron
1399	Pamaquin
1400	Pamidronic acid
1401	Pancreatic enzymes; in medicines containing more than 20 000 BP units of lipase activity
1402	Pancuronium
1403	Panitumumab
1404	Pantoprazole; except when specified elsewhere in this schedule
1405	Papaveretum
1406	Papaverine; for injection
1407	Paracetamol; except when specified elsewhere in this schedule
1408	Paraldehyde
1409	Paramethadione
1410	Paramethasone
1411	Parecoxib
1412	Paricalcitol
1413	Paromomycin
1414	Paroxetine
1415	Pasireotide
1416	Pazopanib
1417	Pecazine
1418	Pefloxacin
1419	Pegaptanib
1420	Pegfilgrastim
1421	Peginterferon
1422	Pegvisomant
1423	Pemetrexed
1424	Pemoline
1425	Pempidine

- 1426 Penbutolol
- 1427 Penciclovir; except for external use for the treatment of herpes labialis
- 1428 Penicillamine
- 1429 Pentaerythryl tetranitrate
- 1430 Pentagastrin
- 1431 Pentamethonium
- 1432 Pentamidine
- 1433 Pentazocine
- 1434 Penthienate
- 1435 Pentolinium
- 1436 Pentosan polysulfate sodium
- 1437 Pentoxifylline
- 1438 Perampanel
- 1439 Pergolide
- 1440 Perhexiline
- 1441 Pericyazine
- 1442 Perindopril
- 1443 Permethrin; in medicines containing more than 5%
- 1444 Perphenazine
- 1445 Pertussis antigen
- 1446 Pertussis (whooping cough) vaccine
- 1447 Pertuzumab
- 1448 Pethidine
- 1449 Phenacemide
- 1450 Phenacetin; except when present as an excipient
- 1451 Phenaglycodol
- 1452 Phenazone; except for external use
- 1453 Phenazopyridine
- 1454 Phenelzine
- 1455 Pheneticillin
- 1456 Phenformin
- 1457 Phenglutarimide
- 1458 Phenindione
- 1459 Pheniramine; except when specified elsewhere in this schedule
- 1460 Phenisatin

1461	Phenobarbital
1462	Phenol; for injection
1463	Phenolphthalein
1464	Phenoperidine
1465	Phenoxybenzamine
1466	Phenoxymethylpenicillin
1467	Phensuximide
1468	Phentermine
1469	Phenthimentionium
1470	Phentolamine
1471	Phenylbutazone
1472	Phenylephrine; except when specified elsewhere in this schedule
1473	Phenylpropanolamine
1474	Phenyltoloxamine
1475	Phenytoin
1476	Pholcodine; except when specified elsewhere in this schedule
1477	Phosphodiesterase type 5 inhibitors; except when present as an unmodified, naturally occurring substance; except when specified elsewhere in this schedule
1478	Phthalylsulfathiazole
1479	Physostigmine
1480	Picric acid
1481	Picrotoxin
1482	Pilocarpine; except in medicines containing 0.025% or less
1483	Pimecrolimus
1484	Pimozide
1485	Pinacidil
1486	Pinazepam
1487	Pindolol
1488	Pioglitazone
1489	Pipecuronium
1490	Pipemidic acid
1491	Pipenzolate
1492	Piperacillin
1493	Piperidine

1494	Piperidolate
1495	Pipobroman
1496	Pipothiazine
1497	Pipradrol
1498	Piracetam
1499	Pirbuterol
1500	Pirenoxine
1501	Pirenzepine
1502	Piretanide
1503	Piroxicam; except for external use
1504	Pirprofen
1505	Pitavastatin
1506	Pituitary hormones
1507	Pivampicillin
1508	Pizotifen
1509	Plerixafor
1510	Plicamycin
1511	Pneumococcal vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
1512	Podophyllotoxin; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 1%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
1513	Podophyllum emodi; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
1514	Podophyllum peltatum; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
1515	Polidexide
1516	Poliomyelitis vaccine
1517	Polyacrylamide; in injections or implants for tissue augmentation or cosmetic use
1518	Polyestradiol

1519	Polylactic acid; in injections or implants for tissue augmentation or cosmetic use
1520	Polymyxin
1521	Polysulfated glycosaminoglycans; for injection except in intraocular viscoelastic products
1522	Polythiazide
1523	Pomalidomide
1524	Poractant alfa
1525	Posaconazole
1526	Potassium bromide
1527	Potassium perchlorate
1528	Practolol
1529	Pradofloxacin
1530	Pralatrexate
1531	Pralidoxime
1532	Pramipexole
1533	Pramocaine
1534	Prampine
1535	Prasterone
1536	Prasugrel
1537	Pravastatin
1538	Prazepam
1539	Praziquantel
1540	Prazosin
1541	Prednisolone
1542	Prednisone
1543	Pregabalin
1544	Pregnenolone
1545	Prenalterol
1546	Prenylamine
1547	Prilocaine; for injection except when used as a local anaesthetic in practice by a dental therapist registered with the Dental Council; except when specified elsewhere in this schedule
1548	Primaquine
1549	Primidone

1550	Probenecid
1551	Probucol
1552	Procainamide
1553	Procaine
1554	Procaine penicillin
1555	Procarbazine
1556	Prochlorperazine; except when specified elsewhere in this schedule; except when sold for the treatment of nausea associated with emergency contraception by pharmacists or nurses accredited to sell levonorgestrel for emergency contraception
1557	Procyclidine; except for dermal use in medicines containing 5% or less
1558	Progesterone; except in medicines containing 1 milligram or less per litre or per kilogram
1559	Progestogens
1560	Proglumide
1561	Proguanil
1562	Prolintane
1563	Promazine
1564	Promethazine; except when specified elsewhere in this schedule
1565	Promoxolane
1566	Propafenone
1567	Propamidine; except for ophthalmic use
1568	Propanidid
1569	Propantheline
1570	Propetandrol
1571	Propionibacterium acnes
1572	Propofol
1573	Propranolol; except in medicines containing 1 milligram or less per litre or per kilogram
1574	Propylthiouracil
1575	Propyphenazone
1576	Proquazone
1577	Proscillaridin
1578	Prostaglandins
1579	Protamine
1580	Prothionamide

1581	Prothipendyl
1582	Protirelin
1583	Protoveratrines
1584	Protriptyline
1585	Proxymetacaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1586	Prucalopride
1587	Pseudoephedrine
1588	Pulmonaria spp; at all strengths
1589	Pyrazinamide
1590	Pyridinolcarbamate
1591	Pyridostigmine
1592	Pyridoxal; in medicines containing more than 200 milligrams per recommended daily dose
1593	Pyridoxamine; in medicines containing more than 200 milligrams per recommended daily dose
1594	Pyridoxine; in medicines containing more than 200 milligrams per recommended daily dose
1595	Pyrimethamine
1596	Pyrvinium
1597	Quazepam
1598	Quetiapine
1599	Quinagolide
1600	Quinapril
1601	Quinbolone
1602	Quinethazone
1603	Quinidine
1604	Quinine; except in medicines containing 50 milligrams or less per recommended daily dose
1605	Quinisocaine
1606	Quinupristin
1607	Rabeprazole
1608	Rabies vaccine
1609	Raloxifene
1610	Raltegravir
1611	Raltitrexed

1612	Ramipril
1613	Ranibizumab
1614	Ranitidine; except when specified elsewhere in this schedule; except in medicines containing 150 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 7 days' supply
1615	Rapacuronium
1616	Rasagiline
1617	Rasburicase
1618	Rauwolfia serpentina
1619	Rauwolfia vomitoria
1620	Razoxane
1621	Reboxetine
1622	Regorafenib
1623	Remestemcel-L
1624	Remifentanyl
1625	Remoxipride
1626	Repaglinide
1627	Reserpine
1628	Retapamulin
1629	Reteplase
1630	Retigabine
1631	Ribavirin
1632	Ridaforolimus
1633	Rifabutin
1634	Rifampicin
1635	Rifamycin
1636	Rifapentine
1637	Rifaximin
1638	Rilpivirine
1639	Riluzole
1640	Rimexolone
1641	Rimiterol
1642	Rimonabant
1643	Riociguat
1644	Risedronic acid

1645	Risperidone
1646	Ritodrine
1647	Ritonavir
1648	Rituximab
1649	Rivaroxaban
1650	Rivastigmine
1651	Rizatriptan; except when specified elsewhere in this schedule
1652	Rocuronium
1653	Rofecoxib
1654	Roflumilast
1655	Rolitetracycline
1656	Romidepsin
1657	Romiplostim
1658	Ropinirole
1659	Ropivacaine
1660	Rosiglitazone
1661	Rosoxacin
1662	Rosuvastatin
1663	Rotavirus vaccine
1664	Rotigotine
1665	Roxibolone
1666	Roxithromycin
1667	Rubella vaccine
1668	Ruboxistaurin
1669	Rupatadine
1670	Ruxolitinib
1671	Sabadilla; except in preparations containing 10 milligrams or less of total alkaloids of <i>schoenocaulon officinale</i> per litre or per kilogram
1672	Safrole; for internal use except in medicines containing 0.1% or less
1673	Salbutamol
1674	Salcatonin
1675	Salmeterol
1676	Sapropterin
1677	Saquinavir
1678	Saxagliptin

- 1679 Schoenocaulon officinale; except in preparations containing 10 milligrams or less of total alkaloids of schoenocaulon officinale per litre or per kilogram
- 1680 Scopolia carniolica
- 1681 Secbutabarbital
- 1682 Secobarbital
- 1683 Selective androgen receptor modulators
- 1684 Selegiline
- 1685 Selenium; except when specified elsewhere in this schedule; except for oral use in medicines containing 150 micrograms or less per recommended daily dose; except for external use in medicines containing 3.5% or less of selenium sulphide
- 1686 Selexipag
- 1687 Serelaxin
- 1688 Sermorelin
- 1689 Sertindole
- 1690 Sertraline
- 1691 Serum, dried human
- 1692 Sevelamer
- 1693 Sevoflurane
- 1694 Sex hormones and all substances having sex hormone activity
- 1695 Sialoepoetin
- 1696 Sibutramine
- 1697 Silandrone
- 1698 Sildenafil and its structural analogues; except sildenafil in medicines for oral use containing 100 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 12 solid dosage units for the treatment of erectile dysfunction in males aged 35–70 years by a registered pharmacist who has successfully completed a training programme endorsed by the Pharmaceutical Society of New Zealand
- 1699 Silicones; for injection
- 1700 Siltuximab
- 1701 Silver sulfadiazine; except for external use in packs containing 50 grams or less
- 1702 Simeprevir
- 1703 Simvastatin
- 1704 Sirolimus
- 1705 Sisomicin
- 1706 Sitagliptin

1707	Sitaxentan
1708	Sodium bromide
1709	Sodium cellulose phosphate; for internal use
1710	Sodium cromoglycate; except for nasal and ophthalmic use
1711	Sodium morrhuate; for injection
1712	Sodium nitroprusside
1713	Sodium phosphate; in oral laxative preparations
1714	Sodium polystyrene sulphonate
1715	Sodium tetradecyl sulphate; for injection
1716	Sofosbuvir
1717	Solasadine
1718	Solifenacin
1719	Somatostatin
1720	Somatropin
1721	Sontoquine
1722	Sorafenib
1723	Sotalol
1724	Sparfloxacin
1725	Sparteine
1726	Spectinomycin
1727	Spiramycin
1728	Spirapril
1729	Spironolactone
1730	Stanolone
1731	Stanozolol
1732	Staphylococcus aureus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
1733	Stavudine
1734	Stenbolone
1735	Steroid hormones
1736	Stilboestrol
1737	Stramonium; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
1738	Streptococcus beta-haemolyticus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds

1739	Streptodornase
1740	Streptokinase
1741	Streptomycin
1742	Strontium ranelate
1743	Strophanthins
1744	Strophanthus spp
1745	Strychnos spp; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
1746	Styramate
1747	Succimer
1748	Sufentanil
1749	Sugammadex
1750	Sulbactam
1751	Sulconazole; except for dermal use
1752	Sulfacetamide; except for ophthalmic use in medicines containing 10% or less
1753	Sulfadiazine; except silver sulfadiazine for external use in pack sizes of 50 grams or less
1754	Sulfadimethoxine
1755	Sulfadimidine
1756	Sulfadoxine
1757	Sulfafurazole
1758	Sulfaguanidine
1759	Sulfamerazine
1760	Sulfamethizole
1761	Sulfamethoxazole
1762	Sulfamethoxydiazine
1763	Sulfamethoxypyridazine
1764	Sulfametrole
1765	Sulfamonomethoxine
1766	Sulfamoxole
1767	Sulfaphenazole
1768	Sulfapyridine
1769	Sulfasalazine
1770	Sulfathiazole
1771	Sulfatroxazole

1772	Sulfinpyrazone
1773	Sulfomyxin
1774	Sulfonmethane
1775	Sulindac
1776	Sultamicillin
1777	Sulthiame
1778	Sumatriptan; except when specified elsewhere in this schedule
1779	Sunitinib
1780	Suprofen
1781	Sutilains
1782	Suxamethonium
1783	Suxethonium
1784	T cell receptor antibody
1785	Tacrine
1786	Tacrolimus
1787	Tadalafil and its structural analogues
1788	Tafluprost
1789	Taliglucerase alfa
1790	Tamoxifen
1791	Tamsulosin
1792	Tanacetum vulgare; in medicines containing more than 0.8% of oil of tansy
1793	Tapentadol
1794	Tasonermin
1795	Tazarotene
1796	Tazobactam
1797	Tegafur
1798	Tegaserod
1799	Teicoplanin
1800	Telaprevir
1801	Telbivudine
1802	Telithromycin
1803	Telmisartan
1804	Temazepam
1805	Temozolomide
1806	Temsirolimus

1807	Tenecteplase
1808	Teniposide
1809	Tenofovir
1810	Tenoxicam
1811	Terazosin
1812	Terbinafine; except in medicines for dermal use
1813	Terbutaline
1814	Terfenadine
1815	Teriflunomide
1816	Teriparatide
1817	Terlipressin
1818	Terodiline
1819	Teropterin
1820	Tesamorelin
1821	Testolactone
1822	Testosterone; except in medicines containing 1 milligram or less per litre or per kilogram
1823	Tetanus antitoxin
1824	Tetanus toxoid
1825	Tetanus vaccine
1826	Tetrabenazine
1827	Tetracosactrin
1828	Tetracycline
1829	Tetraethylammonium
1830	Tetrahydrocannabinol
1831	Tetrazepam
1832	Tetroxoprim
1833	Thalidomide
1834	Thenyldiamine
1835	Theophylline; except in liquid form for oral use in medicines containing 2% or less
1836	Thevetia peruviana
1837	Thevetin
1838	Thiambutosine
1839	Thiazosulfone

1840	Thiethylperazine
1841	Thioacetazone
1842	Thiocarlide
1843	Thioguanine
1844	Thiomesterone
1845	Thiopentone
1846	Thiopropazate
1847	Thiopropazine
1848	Thioridazine
1849	Thiotepa
1850	Thiothixene
1851	Thiouracil
1852	Thiourea; except in medicines containing 0.1% or less
1853	Thymoxamine
1854	Thyroid
1855	Thyrotrophin
1856	Thyrotrophin-releasing factor
1857	Thyroxine; except in medicines containing 10 micrograms or less per litre or per kilogram
1858	Tiagabine
1859	Tiaprofenic acid
1860	Tiaramide
1861	Tibolone
1862	Ticagrelor
1863	Ticarcillin
1864	Ticlopidine
1865	Tiemonium
1866	Tienilic acid
1867	Tigecycline
1868	Tigloidine
1869	Tiletamine
1870	Tilidine
1871	Tiludronic acid
1872	Timolol
1873	Tinidazole

1874	Tinzaparin
1875	Tioconazole; except in medicines for vaginal or dermal use
1876	Tiotropium
1877	Tipepidine
1878	Tiprnavir
1879	Tirilazad
1880	Tirofiban
1881	Tobramycin
1882	Tocainide
1883	Tocilizumab
1884	Tolazamide
1885	Tolazoline
1886	Tolbutamide
1887	Tolcapone
1888	Tolfenamic acid
1889	Tolmetin
1890	Tolonium
1891	Tolpropamine
1892	Tolrestat
1893	Tolterodine
1894	Tolvaptan
1895	Topiramate
1896	Topotecan
1897	Torasemide
1898	Toremifene
1899	Toxoids; for injection
1900	Tramadol
1901	Trametinib dimethyl sulfoxide
1902	Trandolapril
1903	Tranexamic acid
1904	Tranlycypromine
1905	Trastuzumab
1906	Trastuzumab emtansine
1907	Travoprost
1908	Trazodone

1909	Trenbolone
1910	Treosulphan
1911	Treprostinil
1912	Trestolone
1913	Tretamine
1914	Tretinoin
1915	Triacetyloleandomycin
1916	Triamcinolone; except when specified elsewhere in this schedule
1917	Triamterene
1918	Triaziquone
1919	Triazolam
1920	Trichlormethiazide
1921	Trichloroacetic acid; except for external use in medicines containing 12.5% or less for the treatment of warts other than anogenital warts
1922	Trichloroethylene
1923	Trichodesma africana; at all strengths
1924	Triclofos
1925	Tricyclamol
1926	Tridihexethyl
1927	Trifluoperazine
1928	Trifluperidol
1929	Triflupromazine
1930	Trimeprazine; except when specified elsewhere in this schedule
1931	Trimetaphan
1932	Trimethoprim; except in medicines for oral use containing 300 milligrams or less per dose unit when sold in a pack of 3 solid dosage units to a woman aged 16–65 years for the treatment of an uncomplicated urinary tract infection by a registered pharmacist who has successfully completed the New Zealand College of Pharmacists' training in the treatment of urinary tract infections
1933	Trimipramine
1934	Trimustine
1935	Trinitrophenol
1936	Trioxysalen
1937	Triparanol; at all strengths
1938	Triple antigen vaccine
1939	Tripolidine; except when specified elsewhere in this schedule

1940	Triptorelin
1941	Troglitazone
1942	Trometamol; for injection in medicines containing more than 3%
1943	Tropicamide; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1944	Tropisetron
1945	Trovafloxacin
1946	Troxidone
1947	Tryptophan; in medicines containing more than 100 milligrams per recommended daily dose except in parenteral nutrition replacement preparations
1948	Tuberculin
1949	Tuberculosis vaccine
1950	Tubocurarine
1951	Tulobuterol
1952	Typhoid vaccine
1953	Umeclidinium bromide
1954	Unoprostone
1955	Uracil
1956	Urapidil
1957	Urethane
1958	Urofollitropin
1959	Urokinase
1960	Ursodeoxycholic acid
1961	Ustekinumab
1962	Vaccines; except when specified elsewhere in this schedule
1963	Vaccinia virus vaccine
1964	Valaciclovir
1965	Valdecoxib
1966	Valganciclovir
1967	Valnoctamide
1968	Valproic acid
1969	Valsartan
1970	Vancomycin
1971	Vandetanib
1972	Vardenafil and its structural analogues

1973	Varenicline
1974	Varicella vaccine; except when administered for the prevention of herpes zoster (shingles) to a person 50 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
1975	Vasopressin
1976	Vecuronium
1977	Vedolizumab
1978	Velaglucerase alfa
1979	Vemurafenib
1980	Venlafaxine
1981	Verapamil
1982	Veratrum spp
1983	Vernakalant
1984	Verteporfin
1985	Veruprevir
1986	Vidarabine
1987	Vigabatrin
1988	Vilanterol
1989	Vildagliptin
1990	Viloxazine
1991	Vinblastine
1992	Vincamine
1993	Vincristine
1994	Vindesine
1995	Vinflunine
1996	Vinorelbine
1997	Vinyl ether
1998	Virginiamycin
1999	Vismodegib
2000	Visnadine
2001	Vitamin A; for internal use in medicines containing more than 3 milligrams of retinol equivalents per recommended daily dose except in parenteral nutrition replacement preparations; for external use in medicines containing more than 1%

- 2002 Vitamin D; for internal use in medicines containing more than 25 micrograms per recommended daily dose except in parenteral nutrition replacement preparations
- 2003 Voriconazole
- 2004 Vorinostat
- 2005 Vortioxetine
- 2006 Warfarin
- 2007 Xamoterol
- 2008 Xanthinol nicotinate
- 2009 Ximelagatran
- 2010 Xipamide
- 2011 Yellow fever vaccine
- 2012 Yohimbine
- 2013 Zafirlukast
- 2014 Zalcitabine
- 2015 Zaleplon
- 2016 Zanamivir
- 2017 Zidovudine
- 2018 Zimeldine
- 2019 Zinc; for internal use in medicines containing more than 25 milligrams per recommended daily dose; except for internal use in medicines containing 50 milligrams or less and more than 25 milligrams per recommended daily dose in packs that have received the consent of the Minister or the Director-General to their distribution as general sale medicines, when sold in the manufacturer's original pack and when labelled with a statement that the product may be dangerous if taken in large amounts or for long periods; except in parenteral nutrition replacement preparations
- 2020 Ziprasidone
- 2021 Zoledronic acid
- 2022 Zolmitriptan; except when specified elsewhere in this schedule
- 2023 Zolpidem
- 2024 Zonisamide
- 2025 Zopiclone
- 2026 Zoster immunoglobulin, human
- 2027 Zoxazolamine
- 2028 Zuclopenthixol

Part 2

Restricted medicines

- 1 Adrenaline; in medicines containing 1% or less except in medicines for injection containing 0.02% or less
- 2 Alclometasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 3 Aminophylline; for oral use in liquid form in medicines containing 2% or less
- 4 Amorolfine; for external use in medicines containing more than 0.25%
- 5 Aspirin; in slow-release forms; in enteric coated forms containing more than 300 milligrams per dose form; except when specified elsewhere in this schedule
- 6 Azatadine; for oral use in adults and children over 2 years of age
- 7 Azelastine; in medicines for ophthalmic use containing 0.05% or less
- 8 Brompheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 9 Buclizine; for oral use
- 10 Butoconazole; for vaginal use
- 11 Chloramphenicol; for ophthalmic use; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Chlorbutol; in medicines containing more than 5%
- 13 Chlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 14 Ciclopirox; for external use in medicines containing more than 2%; in preparations for application to the nails containing more than 8%
- 15 Cimetidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 16 Clemastine; for oral use
- 17 Clobetasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack

- 18 Clotrimazole; for vaginal use
- 19 Codeine; in medicines for oral use containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for use as an analgesic and when sold in a pack of not more than 5 days' supply, approved by the Minister or the Director-General for distribution as a restricted medicine
- 20 Cyclizine; for oral use other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 21 Cyproheptadine; for oral use
- 22 Dexchlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 23 Di-iodohydroxy quinoline; for vaginal use
- 24 Diclofenac; in solid dose form in medicines containing 25 milligrams or less and more than 12.5 milligrams per dose form in packs containing not more than 30 tablets or capsules
- 25 Dimenhydrinate; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 26 Dimethindene; for oral use
- 27 Diphenhydramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 28 Dithranol
- 29 Doxylamine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 30 Econazole; for vaginal use
- 31 Erythrityl tetranitrate
- 32 Famciclovir; in divided solid dosage forms for oral use containing 500 milligrams or less for the treatment of recurrent herpes labialis when sold in the manufacturer's original pack containing up to 3 dosage units
- 33 Flavoxate

- 34 Fluconazole; for oral use in medicines that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack containing 150 milligrams or less as a single dose for the treatment of vaginal candidiasis
- 35 Fluorides; for external use in liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as restricted medicines; for external use in non-liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram, except in medicines containing 1.5 grams or less and more than 1 gram per litre or per kilogram; except when supplied to a dental professional registered with the Dental Council
- 36 Glucagon; except in medicines containing 100 micrograms or less per litre or per kilogram
- 37 Glyceryl trinitrate; for oral or sublingual use; for rectal use
- 38 Guaiphenesin; for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing more than 10 days' supply but not more than 30 days' supply
- 39 Haemophilus influenzae vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 40 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except an anti-fungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or up to 12 suppositories per pack
- 41 Hyoscine butylbromide; for oral use in medicines containing not more than 20 milligrams per dose form and in packs containing not more than 10 tablets or capsules for the relief of muscle spasm of the gastrointestinal tract
- 42 Ibuprofen; for oral use in tablets or capsules containing up to 400 milligrams per dose form and in packs containing not more than 50 dose units and that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack labelled for use by adults or children over 12 years of age
- 43 Inositol nicotinate
- 44 Isoconazole; for vaginal use
- 45 Ketoprofen; in solid dose form containing 25 milligrams or less per dose form in packs of not more than 30 capsules or tablets

- 46 Lansoprazole; in divided solid dosage forms for oral use containing 15 milligrams or less with a maximum daily dose of 15 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over for the relief of heartburn when sold in the manufacturer's original pack containing not more than 14 dosage units
- 47 Levonorgestrel; in medicines for use as emergency post-coital contraception when in packs containing not more than 1.5 milligrams except when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health
- 48 Macrogols; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 49 Malathion; for external use in medicines containing more than 2%
- 50 Mannityl hexanitrate
- 51 Meclozine; in a pack size of up to 10 dosage units for the treatment of anxiety or insomnia
- 52 Mepyramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 53 Methdilazine; for oral use
- 54 Metoclopramide; when compounded with paracetamol in packs of not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 55 Miconazole; for the treatment of oral candidiasis; for vaginal use
- 56 Nicotinic acid except nicotinamide; in medicines containing 250 milligrams or less but more than 100 milligrams per dose form
- 57 Nicotiny alcohol; in medicines containing more than 100 milligrams per dose form
- 58 Nystatin; for the treatment of oral candidiasis; for vaginal use
- 59 Omeprazole; in tablets or capsules containing 20 milligrams or less when sold in a pack approved by the Minister or the Director-General for distribution as a restricted medicine
- 60 Orlistat; in medicines for weight control containing 120 milligrams or less per dose form
- 61 Oseltamivir; in solid dosage forms for oral use containing 75 milligrams in a pack size of up to 10 dosage units for the treatment or prophylaxis of influenza in adults and children aged 13 years and older who have been exposed to the influenza virus
- 62 Oxiconazole; for vaginal use

- 63 Pantoprazole; in tablets or capsules containing 20 milligrams or less of pantoprazole when sold in a pack approved by the Minister or the Director-General for distribution as a restricted medicine
- 64 Pheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 65 Pneumococcal vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 66 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 1% or less and more than 0.5%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 67 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 68 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 69 Prochlorperazine; in packs containing not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 70 Promethazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 71 Rizatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms, when in wafers containing 5 milligrams or less per wafer and when sold in a pack containing not more than 2 wafers approved by the Minister or the Director-General for distribution as a restricted medicine
- 72 Salicylic acid; except in medicines for dermal use containing 40% or less
- 73 Santonin
- 74 Sodium phosphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 75 Sodium picosulphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 76 Staphylococcus aureus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds

- 77 Stramonium; for oral use in liquid form; in solid dose form in medicines containing more than 0.3 milligrams per dose or more than 1.2 milligrams per recommended daily dose
- 78 Streptococcus beta-haemolyticus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 79 Sulfacetamide; for ophthalmic use in medicines containing 10% or less
- 80 Sumatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms when in tablets containing 50 milligrams or less per tablet and when sold in a pack containing not more than 2 tablets that has received the consent of the Minister or the Director-General to its sale as a restricted medicine
- 81 Theophylline; in liquid form for oral use in medicines containing 2% or less
- 82 Tioconazole; for vaginal use
- 83 Triamcinolone; for buccal use in medicines containing 0.1% or less of triamcinolone acetonide and in pack sizes of 5 grams or less
- 84 Trimeprazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of anxiety or insomnia; for oral use for the treatment of anxiety or insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 85 Triprolidine; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 86 Zolmitriptan; in a pre-filled nasal spray device containing not more than 5 milligrams of zolmitriptan, for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms and when sold in a pack of not more than 2 devices approved by the Minister or the Director-General for distribution as a restricted medicine

Part 3

Pharmacy-only medicines

- 1 8-hydroxyquinoline and its non-halogenated derivatives; in medicines containing more than 1% of such substances
- 2 Acetic acid and preparations containing more than 80% of acetic acid (CH₃COOH); excluding its salts and derivatives
- 3 Acetylcysteine; for oral use in medicines containing more than 1 gram per recommended daily dose
- 4 Aciclovir; for external use for the treatment of herpes labialis except in medicines containing 5% or less and in tubes containing 10 grams or less
- 5 Aconitum spp; for oral use in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids; for dermal use in concentrations of

- 0.02% or less and in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids
- 6 Aloes; for internal use; except when obtained solely from the mucilaginous gel of the leaf
- 7 Aloin
- 8 Aloxiprin
- 9 Amethocaine; for external use in medicines containing 10% or less and more than 2%
- 10 Amorolfine; in preparations for topical use except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 11 Antazoline; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Atropa belladonna; for external use in medicines containing 0.03% or less of the alkaloids of belladonna; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna
- 13 Atropine; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose; in medicines containing atropine sulphate for the treatment of organophosphorus poisoning either in packs of not more than 20 dose units containing 0.6 milligrams or less per dose unit or in injections in packs of not more than 5 vials containing 0.6 milligrams per millilitre; except when sold as an antidote in a device designed for self-injection from outlets licensed to sell organophosphorus poisons; except in medicines containing 300 micrograms or less per litre or per kilogram
- 14 Azelaic acid; for dermal use
- 15 Azelastine; for nasal use; in topical eye preparations containing 0.05% or less
- 16 Beclomethasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 17 Benzocaine; in preparations for topical use, other than eye drops, containing 10% or less of total anaesthetic substances except in dermal preparations containing 2% or less of total anaesthetic substances; in divided preparations con-

- taining 200 milligrams or less of total anaesthetic substances per dosage unit except in lozenges containing 30 milligrams or less of total anaesthetic substances per dosage unit
- 18 Benzoyl peroxide; for external use in medicines containing more than 5% and not more than 10%
- 19 Benzydamine; for external use except for dermal use
- 20 Bephenium
- 21 Bifonazole; for dermal use except in medicines for tinea pedis only or in shampoos containing 1% or less
- 22 Bisacodyl
- 23 Bromhexine
- 24 Brompheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing brompheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 25 Budesonide; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation and when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 26 Carbetapentane; in medicines containing more than 0.5%
- 27 Carbocisteine
- 28 Cetirizine; for oral use except in divided solid dosage forms for oral use containing 10 milligrams or less of cetirizine hydrochloride per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 5 days' supply
- 29 Chlophedianol
- 30 Chlorbutol; in medicines containing 5% or less and more than 0.5%
- 31 Chloroform; in medicines other than for anaesthesia containing more than 0.5%
- 32 Chlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing chlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 33 Ciclopirox; for external use in medicines containing 2% or less except when for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; in preparations for application to the nails containing 8% or less

- 34 Cinchocaine; for external use in medicines containing 0.5% or less
- 35 Cinnamedrine
- 36 Clotrimazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 37 Cocaine; in medicines for oral use, containing not more than 0.1% of cocaine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, and when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 38 Codeine; in medicines for oral use, containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for the treatment of the symptoms of cough and cold and when sold in a pack of not more than 6 days' supply, approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 39 Colocynth
- 40 Creosote; in medicines containing more than 10%
- 41 Cresols; in medicines containing more than 3%
- 42 Datura spp; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 43 Delphinium staphisagria; in medicines containing more than 0.2%
- 44 Desloratadine; for oral use
- 45 Dexchlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing dexchlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 46 Dextromethorphan; in liquid form containing more than 0.25% or in solid dose form containing more than 15 milligrams per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 47 Dibrompropamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board

- 48 Diclofenac; in solid dose form in medicines containing 12.5 milligrams or less per dose form in packs containing not more than 30 tablets or capsules and with a recommended daily dose of not more than 75 milligrams
- 49 Diphenoxylate; in liquid form containing in each millilitre not more than 0.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate; in solid dose form containing not more than 2.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate
- 50 Dimenhydrinate; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults or children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 51 Diphenhydramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing diphenhydramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 52 Doxylamine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing doxylamine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 53 *Duboisia leichhardtii*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 54 *Duboisia myoporides*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 55 Econazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 56 Etafedrine
- 57 Ether; in medicines containing more than 10%

- 58 Etofenamate; for external use
- 59 Famotidine; for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 60 Felbinac; for external use
- 61 Fexofenadine; for oral use except for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when in capsules containing 60 milligrams or less of fexofenadine hydrochloride or in tablets containing 120 milligrams or less of fexofenadine hydrochloride with a maximum daily dose of 120 milligrams when sold in the manufacturer's original pack containing 10 dosage units or less and not more than 5 days' supply
- 62 Fluorides; for internal use in medicines containing 0.5 milligrams or less per dose unit; except in parenteral nutrition replacement preparations; for external use in liquid form in medicines containing 1 gram or less per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as pharmacy-only medicines except in medicines containing 220 milligrams or less per litre or per kilogram and in packs containing not more than 120 milligrams of total fluoride; except when supplied to any dental professional registered with the Dental Council; except in medicines containing 15 milligrams or less per litre or per kilogram
- 63 Flurbiprofen; in locally acting oromucosal preparations containing 10 milligrams or less per dosage unit
- 64 Fluticasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age when in aqueous nasal sprays delivering up to 50 micrograms per actuation with a maximum recommended daily dose of 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 65 Folic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose
- 66 Folinic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose
- 67 Formaldehyde; in medicines containing more than 5%
- 68 Gelsemium sempervirens; except in medicines containing 1 milligram or less per litre or per kilogram
- 69 Glutaraldehyde
- 70 Hexachlorophane; in medicines containing 3% or less but more than 0.75%
- 71 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 0.5% or less by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 0.5% or less by weight of hydrocortisone base and in

- combination with a local anaesthetic and in a quantity of 35 grams or less per container or 12 suppositories or fewer per pack
- 72 Hydrocyanic acid; for oral use in packs containing 5 milligrams or less and more than 0.5 milligrams; except in medicines containing 1 microgram or less per litre or per kilogram
- 73 Hydroquinone; for external use in medicines containing 2% or less except in hair preparations containing 1% or less
- 74 Hyoscyne; for transdermal use in medicines containing 2 milligrams or less of total solanaceous alkaloids per dose unit; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 75 Hyoscyamine; for external use in medicines containing 0.03% or less of total solanaceous alkaloids; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 76 Hyoscyamus niger; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose except in packs containing 30 micrograms or less of total solanaceous alkaloids
- 77 Ibuprofen; for oral use in liquid form with a recommended daily dose of not more than 1.2 grams for the relief of pain and reduction of fever or inflammation when sold in the manufacturer's original pack containing not more than 8 grams; for oral use in solid dose form containing not more than 200 milligrams per dose form and with a recommended daily dose of not more than 1.2 grams when sold in the manufacturer's original pack containing not more than 100 dose units; except in divided solid dosage forms for oral use containing 200 milligrams or less per dose form with a recommended daily dose of not more than 1.2 grams and when sold in the manufacturer's original pack containing not more than 25 dose units
- 78 Indanazoline
- 79 Indomethacin; for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram

- 80 Iodine; for external use in medicines containing more than 2.5%; for internal use in medicines containing 300 micrograms or more per recommended daily dose
- 81 Ipecacuanha; in medicines containing 0.2% or less of emetine and 40 micrograms or more of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 82 Ipomoea spp; except ipomoea batatas
- 83 Ipratropium; for nasal use
- 84 Iron; for oral use either in medicines containing more than 24 milligrams per recommended daily dose or in medicines containing more than 5 milligrams per dose unit and more than 750 milligrams of iron per pack; except in parenteral nutrition replacement preparations
- 85 Isoconazole; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board
- 86 Isopropamide; for dermal use in preparations containing 2% or less
- 87 Jalap resin
- 88 Ketoconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for treatment of the scalp containing 1% or less
- 89 Ketotifen; for ophthalmic use in medicines containing 0.025% or less except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 90 Leucovorin; in medicines containing more than 500 micrograms per recommended daily dose
- 91 Levocabastine; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 92 Levocetirizine; for oral use
- 93 Lignocaine; for urethral use; for external use in medicines containing 10% or less and more than 2%
- 94 Lindane; for external use in medicines containing 2% or less
- 95 Lithium; for dermal use in medicines containing 1% or less but more than 0.01%; except when present as an excipient in dermal medicines containing 0.25% or less
- 96 Lobelia inflata; except in medicines for smoking or burning
- 97 Lobeline; except when in medicines for smoking or burning
- 98 Lodoxamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board

- 99 Loperamide; in packs containing not more than 20 tablets or capsules; except in divided solid dosage forms for oral use containing 2 milligrams or less of loperamide per dosage form when sold in a pack containing not more than 8 dosage forms approved by the Minister or the Director-General for distribution as a general sales medicine for the symptomatic treatment of acute non-specific diarrhoea
- 100 Loratadine; for oral use except in divided solid dosage forms for oral use containing 10 milligrams or less per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 5 days' supply
- 101 Mebendazole
- 102 Meclozine; in a sealed container of not more than 12 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or aircraft
- 103 Mefenamic acid; in solid dose form in packs containing not more than 30 tablets or capsules for the treatment of dysmenorrhoea
- 104 Mepyramine; for dermal use
- 105 Mercuric oxide; for ophthalmic use
- 106 Mercurochrome; in preparations for external use containing 2% or less
- 107 Mercury; for external use in medicines containing 0.5% or less
- 108 Methoxamine; for external use in medicines containing more than 1%
- 109 Methoxyphenamine
- 110 Methylephedrine
- 111 Miconazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 112 Minoxidil; for dermal use in medicines containing 5% or less
- 113 Mometasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 114 Morphine; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 115 Naphazoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 116 Naproxen; in solid dose form containing 250 milligrams or less per dose form in packs of not more than 30 tablets or capsules

- 117 Niclosamide
- 118 Nicotine; for inhalation except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner, nurse, pharmacist, or psychologist
- 119 Nizatidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 120 Noscapine
- 121 Nystatin; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board
- 122 Omeprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 123 Opium; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 124 Oxetacaine; for internal use
- 125 Oxiconazole; for dermal use except in medicines for tinea pedis only
- 126 Oxymetazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except for nasal use in medicines containing 0.05% or less when sold in the manufacturer's original pack with a pack size of 20 millilitres or less
- 127 Pantoprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 128 Papaverine; except for injection
- 129 Paracetamol; in liquid form; in suppositories; in tablets or capsules containing 500 milligrams or less and in packs containing more than 10 grams; in slow-release forms containing 665 milligrams or less and more than 500 milligrams; in powder form containing not more than 1 gram per sachet and more than 10 grams per pack
- 130 Paraformaldehyde; in medicines containing more than 5%

- 131 Penciclovir; for external use for the treatment of herpes labialis
- 132 Phedrazine
- 133 Phenazone; for external use
- 134 Pheniramine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing pheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 135 Phenol; in medicines other than for injection containing more than 3%
- 136 Phenylephrine; for nasal use in medicines containing more than 1%; for ophthalmic use in medicines containing 5% or less and more than 1%; for oral use in medicines containing more than 50 milligrams per recommended daily dose or in packs containing more than 250 milligrams of phenylephrine per pack; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 137 Pholcodine; in medicines for oral use containing not more than 15 milligrams of pholcodine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of pholcodine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 138 Piperazine
- 139 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 0.5% or less; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 140 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 141 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 142 Potassium; for internal use: in slow-release or enteric coated forms; in medicines containing more than 100 milligrams per recommended dose except in medicines for oral rehydration therapy, parenteral nutrition replacement, or dialysis; except in glucosamine sulphate complexed products containing 600 milligrams or less of potassium chloride per recommended dose

- 143 Potassium chlorate; except in medicines containing 10% or less
- 144 Prilocaine; for dermal use in medicines containing 10% or less of local anaesthetic substances
- 145 Procyclidine; for dermal use in medicines containing 5% or less
- 146 Promethazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing promethazine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 147 Propamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 148 Pyrantel
- 149 Pyrethrins; in medicines containing more than 10%
- 150 Pyrithione zinc; except in medicines for treatment of the scalp containing 2% or less
- 151 Ranitidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply; except in medicines containing 150 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 7 days' supply
- 152 Salicylamide
- 153 Selenium; for oral use in medicines containing 300 micrograms or less and more than 150 micrograms per recommended daily dose; for external use except in medicines containing 3.5% or less of selenium sulphide
- 154 Sennosides
- 155 Silver; except in oral solutions containing 0.3% or less or other medicines containing 1% or less
- 156 Silver sulfadiazine; for external use in pack sizes of 50 grams or less
- 157 Sodium cromoglycate; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 158 Sodium nitrite; except for use as an excipient
- 159 Sodium picosulphate; in oral laxative preparations
- 160 Squill; in medicines containing more than 1%

- 161 Stramonium; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 162 Sulconazole; for dermal use
- 163 Sulfadiazine, silver; for external use in pack sizes of 50 grams or less
- 164 Terbinafine; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 165 Tetrachloroethylene
- 166 Tetrahydrozoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 167 Thiabendazole
- 168 Tioconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 169 Tramazoline
- 170 Triamcinolone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age and when in aqueous nasal sprays delivering up to 55 micrograms per actuation when the maximum recommended daily dose is no greater than 220 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine
- 171 Trimeprazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing trimeprazine or when at least 1 of the other therapeutically active ingredients is a sympathomimetic decongestant
- 172 Triprolidine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing triprolidine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 173 Tuaminoheptane
- 174 Tymazoline
- 175 Xylenols; in medicines containing more than 3%
- 176 Xylometazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 177 Zinc chloride; for dermal use in medicines containing more than 5%

Michael Webster,
Clerk of the Executive Council.

Explanatory note

This note is not part of the regulations, but is intended to indicate their general effect.

These regulations, which come into force on 6 August 2015, replace Schedule 1 of the Medicines Regulations 1984 (the **principal regulations**). *New Schedule 1* sets out an updated list of specified medicines and classes of medicines that are declared to be prescription medicines, restricted medicines, or pharmacy-only medicines under the Medicines Act 1981 (the **Act**).

The updated list includes medicines that the Minister of Health has previously classified as prescription medicines, etc, by *Gazette* notice made under section 106 of the Act (see Classification of Medicines (*Gazette* 2015-go984) and Classification of Medicines (*Gazette* 2014-go7770)). *Gazette* notices made under section 106 override any inconsistent classification of medicines in the principal regulations, but they do not amend the principal regulations and they cease to have effect after a period of 6 months (if not revoked sooner).

Issued under the authority of the Legislation Act 2012.

Date of notification in *Gazette*: 30 July 2015.

These regulations are administered by the Ministry of Health.